



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/1744/162/01/22/0089

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : **RICHA**
Westerring 27, 9700 Oudenaarde
BELGIUM

Description

PPE Type : *Protective garments for motorcycle riders: class of protection AA*

Product reference : **SCARLETT JACKET**

Article code : **Black - 1SC100**
Grey - 1SC200
Red - 1SC400

Available sizes : **34 to 50**

Pictures :



AA

EN 17092-3:2020


RICHA

RICHA N.V.
WESTERRING 27
9700 OUDENAARDE
BELGIUM
www.richa.eu

1. Remove the protectors before cleaning.
2. Do not wash.
3. Cleaning by leather specialist only.
4. Do not tumble dry.
5. Treat the leather with an appropriate leather food and waterproofing compound from time to time.

Do not wash
Do not bleach
Do not tumble dry
Do not iron
Do not dry clean

RICHA
D 66
UK 56



OUTSHELL:
100% leather
LINING:
80% polyester
20% cotton

MADE IN PAKISTAN

MODEL SCARLETT JACKET ARTNR 1SC100 - BLACK ORDER NR SIZE 01-PW-28-21 36	RICHA NV INSPEK
MODEL SCARLETT JACKET ARTNR 1SC200 - GREY ORDER NR SIZE 01-PW-28-21 36	RICHA NV INSPEK
MODEL SCARLETT JACKET ARTNR 1SC400 - RED ORDER NR SIZE 01-PW-28-21 36	RICHA NV INSPEK

Reference standard :

Levels of performance / class of protection

EN ISO 13688:2013

-

EN 17092-3:2020

CLASS AA GARMENT

At the date of the certificate, the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from January 2022 and the user notice v02/2021

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Didier GUISADO
Certification and Quality Manager

Date of first issue : 27 January 2022
End of validity date : 27 January 2027

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir: Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

RICHA

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION
2016/425

Reference of the product	:	SCARLETT JACKET
Article code	:	Black - 1SC100 Grey - 1SC200 Red - 1SC400
Technical file index	:	01
Last update	:	JANUARY 2022

IDENTIFICATION

Reference of the product	:	SCARLETT JACKET
		Black - 1SC100
Article code	:	Grey - 1SC200
		Red - 1SC400
This product is a		
Technical file index :	:	01
Last update :	:	JANUARY 2022

Manufacturer:

RICHA
Westerring 27, 9700 Oudenaarde
BELGIUM
tel : 0032 55 235326
fax : 0032 55 428110

Factories:

PAK WORLD INDUSTRY
Dheera Sandha, 5km-Main Pasroor Road, Link Cshauni, Sialkot
PAKISTAN

GARMENT DESCRIPTION

General description and intended use:

This product is a Jackets and it is a of the model .

This garment is a caterogy II PPE.

This garment is designed for motorcycle riders. It offers protection from impact and abrasion, using materials and construction that meet higher requirements than for garments covered by part 4 of this standard series and lower requirements than for garments covered by part 2 of the EN 17092 series. Class AA garments generally offer protection, against the risks of the greatest diversity of riding activities, and they may have lower ergonomic and weight penalties than Class AAA garments.

Visual description of the garment :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.1	PPE incorporating adjustments systems	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.4	Where appreciable and rapid deterioration in PPE performance is likely to be caused by ageing resulting from the periodic use of a cleaning process recommended by the manufacturer, the latter must, if possible, affix a marking to each item of PPE placed on the market indicating the maximum number of cleaning operations that may be carried out before the equipment needs to be inspected or discarded. Where such a marking is not affixed, the manufacturer must give that information in his instructions	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
Specific application	Motorcycle garment	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Garment constitution

	Material reference	Material description	Color	Basis weight or thickness	Present in zone?		
					Z1	Z2	Z3
Outer material	PW-MT#105 - COW NATURAL LEATHER BLACK (01-02-02-002)	100 % leather	Black	0,9 - 1,0 mm	x	x	x
	PW-MT#167 - COW NATURAL LEATHER RED	100 % leather	Red	0,9 - 1,0 mm	x	x	x
	PW-MT#106 - COW CRISPY LEATHER GREY	100 % leather	Grey	0,9 - 1,0 mm	x	x	x
Lining	PW-MT#5 (POLYESTER LYCRA (02-02-14-001))	80% polyester, 20% spandex	Black	204 gsm			
	PW-MT#165 - MICRO FABRICS MAROON (02-02-15-017)	100% polyester	Maroon	144 g/m ²			
	PW-MT#75 - MICRO MESH FABRIC BLACK (02-02-15-072)	100% polyester	Black	105 g/m ²			
Pocket	PW-MT#10 (COTTON PIPING FABRIC (02-02-15-001))	100% cotton	Black	135 g/m ²			
	PW-MT#166 (COTTON FABRIC RED (02-02-15-081))	100% cotton	Red	135 g/m ²			
Protector pocket	PW-MT#16 (POLYESTER CORDURA 600 D BLACK IMP (02-01-003))	100% polyester	Black	218 g/m ²			
Zip	GEN-MT#206 (YKK BRASS ZIP NO 8 (03-01-03-008))						
	GEN-MT#207 (YKK BRASS ZIP NO 5 (03-01-03-002))						
	GEN-MT#12 (YBS CONNECTION ZIP #8 (LOWER PART) (03-01-01-049))						





Material combinations

	Material reference	Combination present in zone?		
		Zone 1	Zone 2	Zone 3
Material combination 1	PW-MT#105 - COW NATURAL LEATHER BLACK (01-02-02-002)	x	x	x
Material combination 2	PW-MT#167 - COW NATURAL LEATHER RED	x	x	x
Material combination 3	PW-MT#106 - COW CRISPY LEATHER GREY	x	x	x

Description of the seams

		Reference	Seam type	Zone 1	Zone 2	Zone 3	Protector pocket
Seam 1	Material 1	PW-MT#105 - COW NATURAL LEATHER BLACK (01-02-02-002)	1		x	x	
	Material 2	PW-MT#105 - COW NATURAL LEATHER BLACK (01-02-02-002)					
Seam 2	Material 1	PW-MT#105 - COW NATURAL LEATHER BLACK (01-02-02-002)	2	x	x	x	
	Material 2	PW-MT#105 - COW NATURAL LEATHER BLACK (01-02-02-002)					
Seam 3	Material 1	PW-MT#105 - COW NATURAL LEATHER BLACK (01-02-02-002)	3		x	x	
	Material 2	PW-MT#105 - COW NATURAL LEATHER BLACK (01-02-02-002)					
Seam 4	Material 1	PW-MT#75 - MICRO MESH FABRIC BLACK (02-02-15-072)					x
	Material 2	PW-MT#75 - MICRO MESH FABRIC BLACK (02-02-15-072)					

(Types of seam)



R RICHA
02-12-2020
REVISION #00

SCARLETT 6208
SEAM DETAIL



STITCH A
CE Edge Stitch 2mm



STITCH B
CE FOOT Stitch 6mm 1x*




STITCH C
CE HIDDEN STITCH



R RICHA
02-12-2020
REVISION #00

SCARLETT 6208
STITCHING DETAIL



e difj
. hide

Vintage Richa Embossed
on leather

STITCH A
CE Edge Stitch 2mm



STITCH B
CE FOOT Stitch 6mm 1x*



PROTECTION SCOPE

This garment meets the essential health and safety requirements of the Personal Protective Equipment Regulation (UE) 2016/425.

It is a category II product.

This garment is designed for motorcycle riders. It offers protection from impact and abrasion, using materials and construction that meet higher requirements than for garments covered by part 4 of this standard series and lower requirements than for garments covered by part 2 of the EN 17092 series. Class AA garments generally offer protection, against the risks of the greatest diversity of riding activities, and they may have lower ergonomic and weight penalties than Class AAA garments.

GENERAL REQUIREMENTS

Range of size

Size	34	36	38	40	42	44	46	48
Heigh (cm)	160 - 166	162 - 168	164 - 170	166 - 172	168 - 174	170 - 176	172 - 178	174 - 180
Chest or bust girth (cm)	88 - 92	92 - 96	98 - 102	102 - 106	106 - 110	110 - 114	114 - 118	118 - 122

Size	50	
Heigh (cm)	176 - 182	
Chest or bust girth (cm)	122 - 126	

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Standard EN 17092-3:2020

			Zone 1	Zone 2	Zone 3
Dimensional stability of the garment (N/A if no cleaning required)	%	± 5			
Impact protector location and fixation	over the correct location on the body, secured within the pockets and secured in their position.				
External impact protector location and fixation	pocket shall meet the requirements of the appropriate zone. Protector shall not be released during testing.				
Impact abrasion	Darmstadt / no hole on the 9 test pieces	rpm	412	265	147
Seam strength	by zone	N/mm	≥8	≥8	≥6
	protector pocket	N/mm	≥4		
Seam construction	general	-	at least one line protected		
	leather or textile abrasion overlays	-	at least 2 rows of stitching		
	hard shell overlays	-	at least 2 rows of stitching		
Tear strength	by zone	N	≥40	≥40	≥30
	protector pocket	N	≥10		
Restraint	Two pieces suits	no gap and no opening			
	sleeve	no extraction of the cone			
	Thumb loops distance A-B	mm	max 140		
Innocuousness	EN ISO 13688:2013 § 4.2 + REACH	pH, Cr VI (leather), Ni (metal in contact with skin), Azo dyes (if contact with skin), Tin, Cadmium (coated material), PAH (plastic in contact with skin), phtalates (polymers in contact with skin)			
Structural closure	same test as seams	N/mm	≥8	≥8	≥6
Vents	protected by same SSL or by SSL zone 3 if opening limited to 4cm at 90° of the length				
Pockets	protected by same SSL extended along the interior of the pocket beyond the opening at least an additional 3 cm				
Fit and ergonomics	EN 17092-1, 5.5 : all answers positive				

TEST REPORTS

1	Satra 2777/10837-01/E00-00
2	Satra 2777/10813-03/E00-00
3	Satra 2777/13054-03/E00-00
4	Satra 2777/11251-01/E00-00
5	Satra 2777/10815-01/E00-00
6	Satra 2777/10609-01/E00-00
7	Satra 2777/10608-02/E00-00

8	Satra 2777/10804-01/E00-00
9	L210508078_1
10	L210917042_1
11	L220100198_1
12	L210508075_1
13	L210407497-1
14	IDIADA MT18100207

15	IDIADA MT17120100
16	
17	
18	
19	
20	
21	

		Reports
4.1 - General		
4.1.1 Innocuousness and REACh - Annex XVII		12+13+14+15
4.1.3 Dimensional stability of garments	Washing Temperature : Number of washing cycles :	n.a
4.2 - Impact Energy Absorption		
4.2.1 General		1+2+3+4+5+6+7+8+9
4.2.2 Impact protector location and fixation		1+2+3+4+5+6+7+8+9
4.3 Impact abrasion resistance		10
4.4 - Structurally Strong Seams (SSS)		
4.4.1 - General		9
4.4.2 Seam strength		9
4.5 - Tear strength		
4.5 Tear strength		9+11
4.6- Restraint		
4.6.1 - General		n.a
4.6.2 Two-piece suit requirements for joint between the upper and the lower part		9
4.6.3 Garment sleeve restraint		9
4.7- Additional garment construction requirements		
4.7.2 - Structural closures		9
4.7.3 - Vents		n.a
4.7.4 - Pockets		9
4.7.5 - Zone intrusions		n.a
4.7.7 - Use of open mesh materials		n.a
4.7.8 - Use of retroreflective materials (optional)	Performance of the retroreflective materials shall be in conformity with Clause 6 of EN 1150:1999. This requirement does not apply to reflective elements included for reasons of design or decoration.	n.a
4.8 Fit and ergonomics		9

MARKING - PACKAGING

Marking of the garment:

Logo of Manufacturer

Address of Manufacturer

Logo



Product reference:

SCARLETT JACKET

Article Code:

Black - 1SC100

Grey - 1SC200

Red - 1SC400

Size indicator

Pictograms

Indication of the protection Class AA







Date of Manufacture (month/year) and/or serial/batch number

Date of obsolescence (month/year) if applicable

Location of the marking:

Inner labels

Garment marking example:

	 <p>RICHA N.V. WESTERRING 27 9700 OUDENAARDE BELGIUM www.richa.eu</p>	<p>1. Remove the protectors before cleaning. 2. Do not wash. 3. Cleaning by leather specialist only. 4. Do not tumble dry. 5. Treat the leather with an appropriate leather food and waterproofing compound from time to time.</p>		<p>MODEL SCARLETT JACKET ARTNR 1SC100 - BLACK ORDER NR SIZE 01-PW-28-21 36</p>	<p>RICHA NV INSPEK</p>			
				<p>OUTSHELL: 100% leather LINING: 80% polyester 20% cotton</p>	<p>Do not wash Do not bleach Do not tumble dry Do not iron Do not dry clean</p> 		<p>MODEL SCARLETT JACKET ARTNR 1SC200 - GREY ORDER NR SIZE 01-PW-28-21 36</p>	<p>RICHA NV INSPEK</p>
				 <p>MADE IN PAKISTAN</p>	<p>MODEL SCARLETT JACKET ARTNR 1SC400 - RED ORDER NR SIZE 01-PW-28-21 36</p>	<p>RICHA NV INSPEK</p>		

Method of marking of the garment:

Labels

PPE subject to ageing :

Peremption period: 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the garment shall be visually controlled. In case of deterioration the garment must be scrapped (abrasion, cut, tear, ...).

Cleaning instructions:

The garment is not washable

MEANS OF CONTROL

1. Research and development
 2. Sourcing
 3. Purchasing
 4. Documentation and traceability
 5. Receipt of raw materials / Control of supplies
 - Testing of raw materials in laboratory: pH & Azoics test with every new shipment
 6. Quality control during glove manufacturing
 7. Quality control of finished gloves
 8. Quality control packaging & labels
 9. Quality control finished shipment
 10. Quality control necessary documents
 11. Receipt and inspection of documents and gloves at headquarters
 12. Written evaluation finished order
- See ISO 9001 certificate
Also ISO 14001 and ISO 45001 available

