

EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/1744/162/10/21/1861

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

Manufacturer: **RICHA**

Westerring 27, 9700 Oudenaarde

Belgium

Description

PPE Type: Protective motorcycle's glove

ARCTIC GLOVE Product reference:

Article code: **5AR**

Glove description: When the temperature drops, these arctic gloves are there to

keep you warm. They are made of premium goat and cow

leather. Stretch panels guarantee your comfort. Extra assets: CE certified knuckle protection and SuperFabric along the side of

your hands.

Available sizes: S (7), M (8), L (9), XL (10), XXL (11), XXXL (12), XXXXL (13)


Pictures:











ORDER NR 03-YJ07-20

CE Article: ARCTIC GLOVE 5AR100 ize: M/8 hand wash

do not bleach do not iron do not dry dean BBS&W

RICHA N.V. **WESTERRING 27** 9700 OUDENAARDE BELGIUM

L/9

Reference standard:

Levels of performance

EN ISO 21420: 2020

EN 13594:2015

Level 1 with Knuckle Protection

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from October 2021 and the instruction for use dated V01/2020

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by **Didier GUISADO**

MARKIN

Certification and Quality Manager

Date of first issue: 29 October 2021 End of validity date: 29 October 2026

NB 0075

Tél. : +32

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France 4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

cofrac Accreditation n# 5-0594 Scope available on:

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

> de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726



RICHA

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product : ARCTIC GLOVE

Article code : 5AR

Technical file index : 01

Last update : OCTOBER 2021

IDENTIFICATION

Reference of the product: : ARCTIC GLOVE

Article code: : 5AR

Basic Model

Technical file index: : 01

Last update: : OCTOBER 2021

Manufacturer:

RICHA

Westerring 27, 9700 Oudenaarde

Belgium

tel: 0032 55 235326 fax: 0032 55 428110

Factory:

PT. YOUNG JIN SPORT INDONESIA

BAKALAN RT. 02/02, KEL. CEPER KEC. CEPER, KLATEN JAWA TENGAH 57465

INDONESIA

tel: +82 2 3474 0106 fax: +82 2 3474 0176

GLOVE DESCRIPTION

General glove description:

When the temperature drops, these arctic gloves are there to keep you warm. They are made of premium goat and cow leather. Stretch panels guarantee your comfort. Extra assets: CE certified knuckle protection and SuperFabric along the side of your hands.

Visual description (picture back and palm sides):






Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)					
		Applicable	Covered by		
			✓ Standard		
§1	Requirements defined in the Annex II §1 are applicable to all PPE	J	☑ Instruction for use		
			✓ Marking		
			☐ Standard		
§1.4	Manufacturer's instructions and information is available	√	☑ Instruction for use		
			☐ Marking		
			✓ Standard		
§2.1	PPE incorporating adjustements systems	✓	✓ Instruction for use		
			✓ Marking		
50.0	PPE is designed and manufactured in a way that perspiration resulting from use is	4	☑ Standard		
§2.2	minimised. Otherwise it must be equipped with means of absorbing perspiration.		☑ Instruction for use		
			Marking		
	If it is known that the design performance of new PPE may be significantly affected		☐ Standard		
§2.4	by ageing, the month and year of manufacture and/or, if possible, the month and	1	✓ Instruction for use		
	year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.		✓ Marking		
	Where appreciable and rapid deterioration in PPE performance is likely to be				
	caused by ageing resulting from the periodic use of a cleaning process		☐ Standard		
	recommended by the manufacturer, the latter must, if possible, affix a marking to				
§2.4	each item of PPE placed on the market indicating the maximum number of cleaning	4	☑ Instruction for use		
3	operations that may be carried out before the equipment needs to be inspected or				
	discarded. Where such a marking is not affixed, the manufacturer must give that		E Martin		
	information in his instructions		☑ Marking		
			☐ Standard		
§2.5	PPE which may be caught up during use	7	\square Instruction for use		
			☐ Marking		
	PPE bearing one or more identification markings or indicators directly or indirectly		✓ Standard		
§2.12	relating to health and safety		✓ Instruction for use		
	,		✓ Marking		
55.44			☑ Standard		
§2.14	Multi-risk PPE	✓	☑ Instruction for use		
			✓ Marking		
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects	7	✓ Standard✓ Instruction for use		
	and collisions of parts of the body with an obstacle				
			✓ Marking✓ Standard		
§3.3	The PPE is intended to protect against mechanical injuries		✓ Standard✓ Instruction for use		
33.3			✓ Marking		
			☑ Marking ☑ Standard		
Specific	Motorcycle glove		☑ Instruction for use		
application	motorcycle glove		✓ Marking		

Glove constitution:

	Reference	Color	Material (composition)	Surfacic mass (g/m²)	Gauges	Thickness
Palm	YJ-MT#1 - GOAT NAPPA (TR-1) (1030326)	Black	100% leather			0,65 - 0,75 mm
	YJ-MT#3 - SUPER FABRIC #700149 (5010233)	Black	100% polyester	270 g/sheet		
	YJ-MT#78 - NASH (HR8080- T08)	Black	65% nylon, 35% PU	250 g/m²		
	YJ-MT#4 - NASH (1010203)	Dark grey	65% nylon, 35% PU	250 g/m²		
	YJ-MT#13 - NEOPRENE (3110203)	Black	70% chloroprene rubber, 30% nylon	1700g/sheet		2,5mm
	YJ-MT#39 - AX CONNECT VN (CONDUCTIVE PU)		65% polyester, 35% PU	160g- 200g/yd		
	YJ-MT#1 - GOAT NAPPA (TR-1) (1030326)	Black	100% leather			0,65 - 0,75 mm
	YJ-MT#7 - NYSPAN #4123 (1041607)	Black	92% nylon, 8% PU	430 g/yd		
Back	YJ-MT#8 - JW5- 11H (3 LAYERS) SOFTSHELL (1040901)	Black	100% polyester	240 g/yd		
	YJ-MT#9 - REFLECTIVE FABRIC (3010102)	Reflective	65% polyester, 35% cotton	250 g/yd		
	YJ-MT#27 - COW NAPPA (1030111-1)	Black	100% leather			0,75 - 0,85 mm
	YJ-MT#30 - PVC HARD PROTECTOR (3210210)	Black	100% PVC	1,2kg/m		

Fourchette	YJ-MT#2 - GOAT SUEDE (#GD0001)	Black	100% leather		0,65 - 0,75 mm
Cuff	YJ-MT#10 - VELCRO LOOP (3260135)	Black	100% nylon		
	YJ-MT#11 - VELCRO HOOK (3260134)	Black	100% nylon		
	YJ-MT#33 - TASLAN 205T (PU2T)	Black	100% nylon		
	YJ-MT#6 - TRI- FLEECE (3240112)	Black	100% polyester		
Lining	YJ-MT#12 - DEXFILL (3070208)		100% polyester		
	YJ-MT#34 - GLASS (3241007)		100% polyester		
Intrernal lining (membrane)	YJ-MT#32 - HIPORA INSERT (3060304)		100% PU		
Binding	YJ-MT#20 - ROLL PU (3200302)	Black	54% nylon, 46% PU	3 g/yd	
	YJ-MT#23 - MICRO FIBER (#MF0000)	Black	50% polyester, 50% PU	350 g/yd	



PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed for motorcycle

It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Available Size Range: S (7), M (8), L (9), XL (10), XXL (11), XXXL (12), XXXXL (13)

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Motorcycle gloves EN 13594: 2015

Protection offered	Performance levels		
Level	Level 1		
Knuckle Protection	YES		

TEST REPORTS

СТС	Other
L210100616_1 L210611242_1	LEHTX00871520
L210100610_1, L210508170_1 L210508677_1 L210611200_1	LECFI00 363608

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer:

Logo

Glove's reference: ARCTIC GLOVE

5AR Article Code:

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram Address of Manufacturer:

Date of Manufacture (month/year) and/or Serial number :

Marking example :



LINING 100% polyester INSERT 100% PU CE III

ORDER NR

OUTSHELL 36% leather 40% polyester

8% PU

16% polyamide



RICHA N.V. **WESTERRING 27** 9700 OUDENAARDE **BELGIUM**

L/9

Marking of packaging example:



Method of marking on the glove :

Label

Packaging:

Plastic bag with product label

PPE subject to ageing :

Peremption period: 5 years after the first use when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the glove shall be visually controlled, in case od deterioration the gloves must be scrapped (abrasion, cut, tear...)

MEANS OF CONTROL

- 1. Research and development
 - 2. Sourcing
 - 3. Purchasing
- 4. Documentation and traceability
- 5. Receipt of raw materials / Control of supplies
- Testing of raw materials in laboratory: pH & Azoïcs test with every new shipment
 - 6. Quality control during glove manufacturing
 - 7. Quality control of finished gloves
 - 8. Quality control packaging & labels
 - 9. Quality control finished shipment
 - 10. Quality control necessary documents
 - 11. Receipt and inspection of documents and gloves at headquarters
 - 12. Written evaluation finished order

DNV-GL

MANAGEMENT SYSTEM CERTIFICATE

Certificate No: 202753-2016-AQ-BEL-RvA Initial certification dat 22 August 2016 Valid: 22 August 2019 - 21 August 2022

This is to certify that the management system of

Richa

Westerring 27, 9700 Oudenaarde, Belgium

has been found to conform to the Quality Management System standard: $\mathbf{ISO} \ \mathbf{9001:2015}$

This certificate is valid for the following scope:
The design, distribution, customization and post-delivery activities of
motorcycle clothing and accessories.

Barendrecht, 07 November 2019



For the issuing office: DNV GL - Business Assurance Zwoiseweg 1, 2994 LB, Barendrecht,

ILA M

The RvA is a signatory to the IAF MLA

J.H.C.N. van Gijiswijk Management Representative

Lack of fulfilment of conditions as set out in the Certification Agreement may render this Certificate invalid.