



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° **0075/1744/162/04/21/0660**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : **RICHA**
Westerring 27, 9700 Oudenaarde
Belgium

Description

PPE Type : **Protective motorcycle's glove**

Product reference : **ARCTIC GORE-TEX GLOVE**

Article code : **Black - 5ARG100**

Glove description : **Keep your hands warm and fingers flexible in the biting cold on those long winter rides with a pair of our Arctic Gore-Tex® men's motorbike gloves. The Arctic glove features superior protection without adding bulk or compromising movement, and is lined with a cosy, hardwearing soft touch fleece.**

Available sizes : **S (7), M (8), L (9), XL (10), XXL (11), XXXL (12)**

Pictures :



RICHA NV	CE
Motorcycle glove	
Article: ARCTIC GORE-TEX	
GLOVE - 5ARG100	
Size: M/B	
Care instruction:	
- hand wash	
- do not bleach	
- do not iron	
- do not dry clean	
- do not tumble dry	

OUTSHELL	
54% leather	
36% polyamide	
7% polyester	
3% PU	
LINING	
100% polyester	
INSERT	
100% PTFE GORE-TEX	
ORDER NR	
03-YJ07-20	

RICHA N.V.
WESTERRING 27
9700 OUDENAARDE
BELGIUM

L/9

Reference standard :

Levels of performance

EN ISO 21420 : 2020

-

EN 13594:2015

Level 1 with Knuckle Protection

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from April 2021

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISADO
Certification and Quality Manager

Date of first issue : 13 April 2021
End of validity date : 13 April 2026



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

RICHA

MANUFACTURER'S TECHNICAL FILE TO THE
PPE REGULATION 2016/425

Reference of the product	:	ARCTIC GORE-TEX GLOVE
Article code	:	Black - 5ARG100
Technical file index	:	01
Last update	:	April 2021

IDENTIFICATION

Reference of the product :	:	ARCTIC GORE-TEX GLOVE
Article code :	:	Black - 5ARG100
Basic Model		
Technical file index :	:	01
Last update :	:	April 2021

Manufacturer :

RICHA

Westerring 27, 9700 Oudenaarde

Belgium

tel : 0032 55 235326

fax : 0032 55 428110

Factory :

PT. YOUNG JIN SPORT INDONESIA

BAKALAN RT. 02/02, KEL. CEPER KEC. CEPER, KLATEN JAWA TENGAH 57465

INDONESIA

tel: +82 2 3474 0106

fax: +82 2 3474 0176

GLOVE DESCRIPTION

General glove description :

Keep your hands warm and fingers flexible in the biting cold on those long winter rides with a pair of our Arctic Gore-Tex® men's motorbike gloves. The Arctic glove features superior protection without adding bulk or compromising movement, and is lined with a cosy, hardwearing soft touch fleece.

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.1	PPE incorporating adjustments systems	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.4	Where appreciable and rapid deterioration in PPE performance is likely to be caused by ageing resulting from the periodic use of a cleaning process recommended by the manufacturer, the latter must, if possible, affix a marking to each item of PPE placed on the market indicating the maximum number of cleaning operations that may be carried out before the equipment needs to be inspected or discarded. Where such a marking is not affixed, the manufacturer must give that information in his instructions	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
Specific application	Motorcycle glove	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Glove constitution :

	Reference	Color	Material (composition)	Surfacic mass (g/m ²)	Gauges	Thickness
Palm	YJ-MT#14 - GOAT NAPPA KURNIA (GN#0001)	Black	100% leather			0,65 - 0,75 mm
	YJ-MT#3 - SUPER FABRIC #700149 (5010233)	Black	100% polyester	270 g/sheet		
	YJ-MT#42 - NEOPRENE 2,0MM (3110201)	Black	70% chloroprene rubber, 30% nylon			
Back	YJ-MT#18 - NYSPAN #1713 (LAMI) (1041614)	Black	91% nylon, 9% PU	430 g/yd		
	YJ-MT#9 - REFLECTIVE FABRIC (3010102)	Reflective	65% polyester, 35% cotton	250 g/yd		
Fourchette	YJ-MT#2 - GOAT SUEDE D/D WR (GD#0001)	Black	100% leather			0,65 - 0,75 mm
Cuff	YJ-MT#10 - VELCRO LOOP (3260135)	Black	100% nylon			
	YJ-MT#11 - VELCRO HOOK (3260134)	Black	100% nylon			
	YJ-MT#19 - TASLAN 205T HIPORA (1041905)	Black	100% nylon			
	YJ-MT#23 - MICRO FIBER (#MF0000)	Black	50% polyester, 50% PU	350 g/yd		
Lining	YJ-MT#6 - TRI-FLEECE (3240112)	Black	100% polyester			
	YJ-MT#12 - DEXFILL (3070208)		100% polyester			
	YJ-MT#34 - GLASS (3241007)		100% polyester			
Intrernal lining (membrane)	YJ-MT#40 - GORE-TEX NGFG INSERT (NGFG)	White	100% ePTFE			
Metacarpal protection	YJ-MT#30 - PVC HARD PROTECTOR (3210210)	Black	100% PVC	1,2 kg/m		
Binding	YJ-MT#20 - ROLL PU (3200302)	Black	54% nylon, 46% PU	3 g/yd		
	YJ-MT#31 - PU FABRIC (3200101)	Black	64% PE, 36% PU	220g		

BUYER:	RICHA
STYLE:	ARCTIC GTX GLOVE (YMG016-394)
OUTSHELL:	GOAT NAPPA(SURINDA) / GOAT D/D WR(SRFPU) / NYSPAN L73(LAML) / NASH WR / ROLL PU / MICRO FIBER / SUPER FABRIC #700149 / 2.0MM NEOPRENE / TASLAN 200T(Hopre Coating) / PU FABRIC / REFLECTIVE BLK /
LINING & INSULATION:	BACK: GLASS+6OZ DEXFIL+TRI-FLEECE PALM: GLASS+ 2OZ DEXFIL+TRI-FLEECE
INSERT:	GORE-TEX NIGFG INSERT



Pictures of material + seams



1/ Flat-seam unfolded, single stitching	2/ Inside seam, single stitching
3/ Flat-seam folded, single stitching - Accordion	4/ Flat-seam folded, single stitching
5/ Flat-seam folded, single stitching	6/ Flat-seam unfolded, double stitching
7/ Inside seam, single stitching	8/ Flat-seam unfolded, double stitching
9/ Inside seam, single stitching	10/ Flat-seam unfolded, double stitching
11/ Flat-seam unfolded, single stitching - Zig zag stitching	12/ Flat-seam folded, single stitching - with piping

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed for motorcycle

It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Available Size Range: S (7), M (8), L (9), XL (10), XXL (11), XXXL (12)

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Motorcycle gloves EN 13594 : 2015

Protection offered	Performance levels
Level	Level 1
Knuckle Protection	YES

TEST REPORTS

	CTC	Other
EN ISO 21420 + innocuousness	L210100616_1 L210100625_1	
EN 13594	L210100621_1 L210100610_1 L210305684_1	INTERTEK: LECFI00 363608

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : ARCTIC GORE-TEX GLOVE

Article Code : Black - 5ARG100

Size indicator



Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

Marking example :



L/9

Marking of packaging example :



Method of marking on the glove :

Inside labels and i-booklet

Packaging :

Plastic bag

PPE subject to ageing :

Peremption period : 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

MEANS OF CONTROL

1. Research and development
2. Sourcing
3. Purchasing
4. Documentation and traceability
5. Receipt of raw materials / Control of supplies
- Testing of raw materials in laboratory: pH & Azoïcs test with every new shipment
6. Quality control during glove manufacturing
7. Quality control of finished gloves
8. Quality control packaging & labels
9. Quality control finished shipment
10. Quality control necessary documents
11. Receipt and inspection of documents and gloves at headquarters
12. Written evaluation finished order

DNV·GL

MANAGEMENT SYSTEM CERTIFICATE

Certificate No: 202703-2016-AQ-BEL-RvA Initial certification date: 22 August 2016 Valid: 22 August 2019 - 21 August 2022

This is to certify that the management system of

Richa
Westerring 27, 9700 Oudenaarde, Belgium

has been found to conform to the Quality Management System standard:
ISO 9001:2015

This certificate is valid for the following scope:
The design, distribution, customization and post-delivery activities of motorcycle clothing and accessories.

Place and date:
Berendrecht, 07 November 2019




The IFA is a signatory to the IAF MLA

For the issuing office:
DNV GL - Business Assurance
Zwolsweg 1, 2994 LB, Berendrecht,
Netherlands


J.H.C.N. van Gijlswijk
Management Representative

Lack of fulfillment of conditions as set out in the Certification Agreement may render this Certificate invalid.
ACCREDITED BODY: DNV GL Business Assurance B.V. - Zwolsweg 1, 2994 LB, Berendrecht, Netherlands. TEL: +31 182822666. www.dnvgl.com/assurance