



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/1744/162/09/22/1730

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : RICHIA
Westerring 27, 9700 Oudenaarde
Belgium

Description

PPE Type : *Protective motorcycle's glove*

Product reference : BUSTER GORE-TEX GLOVE

Article code : Black – 5BU100

Glove description : Motorcycle textile/ leather glove

Available sizes : S (7), M (8), L (9), XL (10), 2XL (11), 3XL (12), 4XL (13)

Pictures :

L/9



Reference standard :

Levels of performance

EN ISO 21420 : 2020

-

EN 13594:2015

Level 1

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from SEPTEMBER 2022 and in the user instruction version 2:2 - May 2022

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISSADO
Certification Manager

Date of first issue : 06 October 2022
End of validity date : 06 October 2027



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir: Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

RICHA

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

| | | |
|---------------------------------|----------|------------------------------|
| Reference of the product | : | BUSTER GORE-TEX GLOVE |
| Article code | : | Black – 5BU100 |
| Technical file index | : | 01 |
| Last update | : | SEPTEMBER 2022 |

IDENTIFICATION

Reference of the product : BUSTER GORE-TEX GLOVE
Article code : Black – 5BU100
Basic Model
Technical file index : 01
Last update : SEPTEMBER 2022

Manufacturer :

RICHA

Westerring 27, 9700 Oudenaarde

Belgium

tel : 0032 55 235326

fax : 0032 55 428110

Factory :

PT. YOUNG JIN SPORT INDONESIA

BAKALAN RT. 02/02, KEL. CEPER KEC. CEPER, KLATEN JAWA TENGAH 57465

INDONESIA

tel: +82 2 3474 0106

fax: +82 2 3474 0176

GLOVE DESCRIPTION

General glove description :

Motorcycle textile/ leather glove

Visual description (picture back and palm sides) :




| Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation) | | | |
|--|--|-------------------------------------|--|
| | | Applicable | Covered by |
| §1 | Requirements defined in the Annex II §1 are applicable to all PPE | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking |
| §1.4 | Manufacturer's instructions and information is available | <input checked="" type="checkbox"/> | <input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking |
| §2.1 | PPE incorporating adjustments systems | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking |
| §2.4 | If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging. | <input checked="" type="checkbox"/> | <input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking |
| §2.5 | PPE which may be caught up during use | <input checked="" type="checkbox"/> | <input type="checkbox"/> Standard <input type="checkbox"/> Instruction for use <input type="checkbox"/> Marking |
| §2.12 | PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking |
| §3.1.1 | The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking |
| §3.3 | The PPE is intended to protect against mechanical injuries | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking |
| Specific application | Motorcycle glove | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking |

Glove constitution :

| | Reference | Color | Material (composition) | Surfacic mass (g/m²) | Gauges | Thickness |
|------------|--|-----------------|---------------------------------------|----------------------|--------|---------------------------------|
| Palm | YJ-MT#2 - GOAT SUEDE D/D WR (#GD0001) (REFIN) | Black | 100% Leather | | | 0,65 - 0,75 mm |
| | YJ-MT#39 - AX CONNECT VN (CONDUCTIVE PU) | Black | 65% polyester, 35% PU | | | 160-200g/yd |
| | YJ-MT#101 - SURE GRIP (3200201) | Black | 50% PVC, 50% Polyester | | | 750g |
| | YJ-MT#2 - GOAT SUEDE D/D WR (#GD0001) (REFIN) + YJ- MT#29 - RUBBER SPONGE 3/5MM R/S (3220330) | Black | 100% Leather + 100% rubber | | | 0,65 - 0,75 mm + 750 g/sheet |
| Back | YJ-MT#127 - TPR LOGO ON BACK CUFF (TPRCUFARM# 003) (FACTORY MADE) | Black/ White | 100%TPR | | | 4-5mm |
| | YJ-MT#102 - TEXLAND #4302 (1040318) | Black | 100% Nylon | | | 57"/335g |
| | YJ-MT#103 - CH 1240 (1041923) | Black | 100% Nylon | | | 56" / 261g |
| Fourchette | YJ-MT#124 - TPR WIPER (WIP#001) | Black | 100%TPR | | | 2mm |
| Cuff | YJ-MT#10 - VELCRO LOOP (3260135) (SAMCRO) | Black | 100% nylon | | | 110 MM |
| | YJ-MT#11 - VELCRO HOOK (3260134) (SAMCRO) | Black | 100% nylon | | | 110 MM |
| | YJ-MT#64 - #3 NYLON ZIPPER (3130427) | Black/ Red | TAPE - POLYESTER/ SLIDER - ZINC | 3,3g | | |
| | GEN-MT#21 - PLASTIC BUCKLE D 04- (02-002 04-02- 001) (PAKWORLD) | Black | 100% Acetal | | | 20-30 mm |

| | Reference | Color | Material (composition) | Surfacic mass (g/m ²) | Gauges | Thickness |
|----------------------------|---|--------|-------------------------------------|-----------------------------------|--------|-----------|
| Lining | YJ-MT#6 - TRI-FLEECE (3240112) (MIJU INDUSTRIES) | Black | POLYESTER 100% | 44" /yd | | |
| | YJ-MT#23 - MICRO FIBER (#MF00000) (SHANDONG) | Black | 50% Polyester, 50% Polyurethane | 54" 350g/yd | | |
| | YJ-MT#41 - E/BAND (3020703) (Taesung Textile) | Black | 50% Polypropylene, 50% Polyurethane | 4g/yd | | |
| | YJ-MT#26 - POWERNET (KNITTED WHITE) (3240814) (MIJU INDUSTRIES) | White | 80% nylon, 20% PU | 210 g/yd | | |
| Internal lining (membrane) | YJ-MT#24 - GORE-TEX MCFG INSERT (MCFG) | White | 100% ePTFE | 35 G/M ² | | |
| Metacarpal protection | GEN-MT#94 - D3O FOAM (D3OFOAM#003) (D3O) | Orange | 54% Nylon, 46% Polyurethane | | | |
| Binding | YJ-MT#20 - ROLL PU (3200302) (DONGGWANG) | Black | 54% Nylon, 46% Polyurethane | 54" 350g/yd | | |

Pictures of material + seams



| SEAM CONSTRUCTION | SENT TO LAB |
|---|-------------|
| 1) YJ-MT#103 - CH-1240 (1041923) (SAMTEX) + YJ-MT#102 - TEXLAND #4302 (1040318) (TEXLAND): Inside seam, single stitching | L220508913 |
| 2) YJ-MT#102 - TEXLAND #4302 (1040318) (TEXLAND) + YJ-MT#103 - CH-1240 (1041923) (SAMTEX): Flat-seam folded, single stitching | L220508913 |
| 3) YJ-MT#103 - CH-1240 (1041923) (SAMTEX) + ACCODION [YJ-MT#103 - CH-1240 (1041923) (SAMTEX) + YJ-MT#58 - SPONGE (3220315) (MIJU INDUSTRIES) + YJ-MT#26 - POWERNET (KNITTED WHITE) (3240814) (MIJU INDUSTRIES): Inside seam, single stitching - accordian | L220508913 |
| 4) YJ-MT#103 - CH-1240 (1041923) (SAMTEX) + YJ-MT#103 - CH-1240 (1041923) (SAMTEX): Inside seam, single stitching | L220508913 |
| 5) YJ-MT#103 - CH-1240 (1041923) (SAMTEX) + ACCODION [YJ-MT#103 - CH-1240 (1041923) (SAMTEX) + YJ-MT#58 - SPONGE (3220315) (MIJU INDUSTRIES) + YJ-MT#26 - POWERNET (KNITTED WHITE) (3240814) (MIJU INDUSTRIES): Flat-seam folded, single stitching | L220508913 |
| 6) YJ-MT#103 - CH-1240 (1041923) (SAMTEX) + YJ-MT#103 - CH-1240 (1041923) (SAMTEX): Flat-seam folded, single stitching | L220508913 |
| 7) YJ-MT#2 - GOAT SUEDE D/D WR (#GD0001) (REFIN) + YJ-MT#2 - GOAT SUEDE D/D WR (#GD0001) (REFIN): Inside seam, single stitching | |
| 8) YJ-MT#2 - GOAT SUEDE D/D WR (#GD0001) (REFIN) + YJ-MT#102 - TEXLAND #4302 (1040318) (TEXLAND): Inside seam, single stitching | |
| 9) YJ-MT#103 - CH-1240 (1041923) (SAMTEX) + [YJ-MT#64 - #3 NYLON ZIPPER (3130427) + YJ-MT#103 - CH-1240 (1041923) (SAMTEX)]: Flat-seam unfolded, double stitching | |
| 10) YJ-MT#2 - GOAT SUEDE D/D WR (#GD0001) (REFIN) + [YJ-MT#39 - AX CONNECT VN (CONDUCTIVE PU) (3200127) (MAT MARKET) + YJ-MT#2 - GOAT SUEDE D/D WR (#GD0001) (REFIN)]: Inside seam, single stitching | |
| 11) YJ-MT#103 - CH-1240 (1041923) (SAMTEX) + [YJ-MT#39 - AX CONNECT VN (CONDUCTIVE PU) (3200127) (MAT MARKET) + YJ-MT#2 - GOAT SUEDE D/D WR (#GD0001) (REFIN)]: Inside seam, single stitching | |
| 12) YJ-MT#2 - GOAT SUEDE D/D WR (#GD0001) (REFIN) + [YJ-MT#124 - TPR WIPER (WIP#001) (FACTORY MADE) + YJ-MT#102 - TEXLAND #4302 (1040318) (TEXLAND): Inside seam, single stitching | |
| 13) YJ-MT#103 - CH-1240 (1041923) (SAMTEX) + YJ-MT#2 - GOAT SUEDE D/D WR (#GD0001) (REFIN): Inside seam, single stitching | L220508913 |
| 15) YJ-MT#2 - GOAT SUEDE D/D WR (#GD0001) (REFIN) + YJ-MT#2 - GOAT SUEDE D/D WR (#GD0001) (REFIN): Flat seam unfolded, double stitching | L220508913 |
| 16) YJ-MT#2 - GOAT SUEDE D/D WR (#GD0001) (REFIN) + YJ-MT#103 - CH-1240 (1041923) (SAMTEX): Flat-seam folded, single stitching | |

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed for motorcycle

It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Available Size Range: S (7), M (8), L (9), XL (10), 2XL (11), 3XL (12), 4XL (13)

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Motorcycle gloves EN 13594 : 2015

| Protection offered | Performance levels |
|--------------------|--------------------|
| Level | Level 1 |

TEST REPORTS

| | CTC | Other |
|------------------------------|--|----------------------------|
| EN ISO 21420 + innocuousness | L210100616_1; L211222339_1; L220713113_1; L220508911_1; L220407869_1; L220610510_1 | SATRA CHM0327891/2210/JH/A |
| EN 13594 | L220508913_2; L210100610_1; L220713097_1 | |

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : BUSTER GORE-TEX GLOVE

Article Code : Black – 5BU100

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

Marking example :



Marking of packaging example :

BUSTER GORE-TEX
GLOVE

5BU100 - L

BLACK



RICHA
RICHA N.V.
WESTERRING 27
9700 OUDENAARDE
BELGIUM

Method of marking on the glove :

Labels stitched inside the cuff

Packaging :

Plastic bag with product label

PPE subject to ageing :

Peremption period : 5 years (after first use) after the first use when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

MEANS OF CONTROL

1. Research and development
2. Sourcing
3. Purchasing
4. Documentation and traceability
5. Receipt of raw materials / Control of supplies
 - Testing of raw materials in laboratory: pH & Azoïcs test with every new shipment
 - Measuring of material weight before accepting shipment to make sure the identical g/m² is purchased as before
6. Quality control during glove manufacturing
7. Quality control of finished gloves
8. Quality control packaging & labels
9. Quality control finished shipment
10. Quality control necessary documents
11. Receipt and inspection of documents and gloves at headquarters
12. Written evaluation finished order