



# EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

**Certificate N° 0075/1744/162/10/21/1861 - EXT 01/10/21**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

**Manufacturer :** RICH  
Westerring 27, 9700 Oudenaarde  
Belgium

### Description

**PPE Type :** *Protective motorcycle's glove*

**Product reference :** ARCTIC LADY GLOVE

**Article code :** 5ARD

**Glove description :** When the temperature drops, these arctic gloves for women are there to keep you warm. They are made of premium goat and cow leather. Stretch panels guarantee your comfort. Extra assets: CE certified knuckle protection and SuperFabric along the side of your hands.

**Available sizes :** DXS (6), DS (7), DM (8), DL (9), DXL (10)

**Pictures :**



<b>OUTSHELL</b>
36% leather
40% polyester
16% polyamide
8% PU
<b>LINING</b>
100% polyester
<b>INSERT</b>
100% PU
<b>ORDER NR</b>
03-YJ07-20

RICHA NV	CE
Motorcycle glove	
Article: ARCTIC LADY	
GLOVE - 5ARD100	
Size: DS/7	
<b>Care instruction:</b>	
- hand wash	
- do not bleach	
- do not iron	
- do not dry clean	
- do not tumble dry	

**RICHA N.V.**  
WESTERRING 27  
9700 OUDENAARDE  
BELGIUM

**DS/5**

**Reference standard :**

**Levels of performance**

**EN ISO 21420 : 2020**

-

**EN 13594:2015**

**Level 1 with Knuckle Protection**

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from October 2021 and the instruction for use dated V01/2020

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

**Issued in Lyon by**   
**Didier GUISSADO**  
Certification and Quality Manager


**Date of first issue :** 29 October 2021  
**End of validity date :** 29 October 2026



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594  
Scope available on:  
www.cofrac.fr



[www.ctcgroupe.com](http://www.ctcgroupe.com)

[cemarking@ctcgroupe.com](mailto:cemarking@ctcgroupe.com)

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France  
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com)

Comité Professionnel de Développement Économique (CPDE) Cuir: Chaussure Maroquinerie Ganterie  
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

**RICHA**

**MANUFACTURER'S TECHNICAL FILE TO THE**  
**PPE REGULATION 2016/425**

<b>Reference of the product</b>	<b>:</b>	<b>ARCTIC LADY GLOVE</b>
<b>Article code</b>	<b>:</b>	<b>5ARD</b>
<b>Technical file index</b>	<b>:</b>	<b>01</b>
<b>Last update</b>	<b>:</b>	<b>October 2021</b>

## IDENTIFICATION

Reference of the product :	:	ARCTIC LADY GLOVE
Article code :	:	5ARD
Basic Model	:	ARCTIC GLOVE (5AR)
Technical file index :	:	01
Last update :	:	October 2021

### **Manufacturer :**

RICHA

Westerring 27, 9700 Oudenaarde

Belgium

tel : 0032 55 235326

fax : 0032 55 428110

### **Factory :**

PT. YOUNG JIN SPORT INDONESIA

BAKALAN RT. 02/02, KEL. CEPER KEC. CEPER, KLATEN JAWA TENGAH 57465

INDONESIA

tel: +82 2 3474 0106

fax: +82 2 3474 0176

## GLOVE DESCRIPTION

### General glove description :

When the temperature drops, these arctic gloves for women are there to keep you warm. They are made of premium goat and cow leather. Stretch panels guarantee your comfort. Extra assets: CE certified knuckle protection and SuperFabric along the side of your hands.

### Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.1	PPE incorporating adjustments systems	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.4	Where appreciable and rapid deterioration in PPE performance is likely to be caused by ageing resulting from the periodic use of a cleaning process recommended by the manufacturer, the latter must, if possible, affix a marking to each item of PPE placed on the market indicating the maximum number of cleaning operations that may be carried out before the equipment needs to be inspected or discarded. Where such a marking is not affixed, the manufacturer must give that information in his instructions	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
Specific application	Motorcycle glove	<input type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

## Glove constitution :

	Reference	Color	Material (composition)	Surfacic mass (g/m <sup>2</sup> )	Gauges	Thickness
Palm	YJ-MT#1 - GOAT NAPPA (TR-1) (1030326)	Black	100% leather			0,65 - 0,75 mm
	YJ-MT#3 - SUPER FABRIC #700149 (5010233)	Black	100% polyester	270 g/sheet		
	YJ-MT#78 - NASH (HR8080-T08)	Black	65% nylon, 35% PU	250 g/m <sup>2</sup>		
	YJ-MT#4 - NASH (1010203)	Dark grey	65% nylon, 35% PU	250 g/m <sup>2</sup>		
	YJ-MT#13 - NEOPRENE (3110203)	Black	70% chloroprene rubber, 30% nylon	1700g/sheet		2,5mm
	YJ-MT#39 - AX CONNECT VN (CONDUCTIVE PU)		65% polyester, 35% PU	160g-200g/yd		
Back	YJ-MT#1 - GOAT NAPPA (TR-1) (1030326)	Black	100% leather			0,65 - 0,75 mm
	YJ-MT#7 - NYSPAN #4123 (1041607)	Black	92% nylon, 8% PU	430 g/yd		
	YJ-MT#8 - JW5-11H (3 LAYERS) SOFTSHELL (1040901)	Black	100% polyester	240 g/yd		
	YJ-MT#9 - REFLECTIVE FABRIC (3010102)	Reflective	65% polyester, 35% cotton	250 g/yd		
	YJ-MT#27 - COW NAPPA (1030111-1)	Black	100% leather			0,75 - 0,85 mm
	YJ-MT#30 - PVC HARD PROTECTOR (3210210)	Black	100% PVC	1,2kg/m		

Fourchette	YJ-MT#2 - GOAT SUEDE (#GD0001)	Black	100% leather			0,65 - 0,75 mm
Cuff	YJ-MT#10 - VELCRO LOOP (3260135)	Black	100% nylon			
	YJ-MT#11 - VELCRO HOOK (3260134)	Black	100% nylon			
	YJ-MT#33 - TASLAN 205T (PU2T)	Black	100% nylon			
Lining	YJ-MT#6 - TRI-FLEECE (3240112)	Black	100% polyester			
	YJ-MT#12 - DEXFILL (3070208)		100% polyester			
	YJ-MT#34 - GLASS (3241007)		100% polyester			
Intrernal lining (membrane)	YJ-MT#32 - HIPORA INSERT (3060304)		100% PU			
Binding	YJ-MT#20 - ROLL PU (3200302)	Black	54% nylon, 46% PU	3 g/yd		
	YJ-MT#23 - MICRO FIBER (#MF0000)	Black	50% polyester, 50% PU	350 g/yd		

<p>Pictures of material + seams</p>		<table border="1"> <tr> <td>1/ Inside seam, single stitching</td> <td>2/ Inside seam, single stitching</td> </tr> <tr> <td>3/ Flat-seam unfolded, double stitching</td> <td>4/ Flat seam unfolded, Single stitching - accordion</td> </tr> <tr> <td>5/ Inside seam, single stitching</td> <td>6/ Flat-seam folded, single stitching</td> </tr> <tr> <td>7/ Flat-seam unfolded, double stitching</td> <td>8/ Flat-seam folded, single stitching</td> </tr> <tr> <td>9/ Flat-seam folded, single stitching</td> <td>10/ Flat-seam folded, single stitching - with piping</td> </tr> <tr> <td>11/ Inside seam, single stitching</td> <td>12/ Inside seam, single stitching</td> </tr> <tr> <td>13/ Inside seam, single stitching</td> <td>14/ Flat-seam unfolded, double stitching</td> </tr> <tr> <td>15/ Flat-seam unfolded, double stitching</td> <td>16/ Flat-seam unfolded, double stitching</td> </tr> <tr> <td>17/ Flat-seam unfolded, double stitching</td> <td>18/ Flat seam unfolded, Single stitching</td> </tr> <tr> <td>19/ Inside seam, single stitching</td> <td>20/ Flat-seam folded, single stitching (red square, bottom right)</td> </tr> <tr> <td>21 / Flat-seam unfolded, double stitching (Red middle square right)</td> <td>22/ Flat-seam unfolded, double stitching (red square, right top)</td> </tr> <tr> <td>23/ Flat-seam folded, single stitching (red square, left)</td> <td></td> </tr> </table>	1/ Inside seam, single stitching	2/ Inside seam, single stitching	3/ Flat-seam unfolded, double stitching	4/ Flat seam unfolded, Single stitching - accordion	5/ Inside seam, single stitching	6/ Flat-seam folded, single stitching	7/ Flat-seam unfolded, double stitching	8/ Flat-seam folded, single stitching	9/ Flat-seam folded, single stitching	10/ Flat-seam folded, single stitching - with piping	11/ Inside seam, single stitching	12/ Inside seam, single stitching	13/ Inside seam, single stitching	14/ Flat-seam unfolded, double stitching	15/ Flat-seam unfolded, double stitching	16/ Flat-seam unfolded, double stitching	17/ Flat-seam unfolded, double stitching	18/ Flat seam unfolded, Single stitching	19/ Inside seam, single stitching	20/ Flat-seam folded, single stitching (red square, bottom right)	21 / Flat-seam unfolded, double stitching (Red middle square right)	22/ Flat-seam unfolded, double stitching (red square, right top)	23/ Flat-seam folded, single stitching (red square, left)	
1/ Inside seam, single stitching	2/ Inside seam, single stitching																									
3/ Flat-seam unfolded, double stitching	4/ Flat seam unfolded, Single stitching - accordion																									
5/ Inside seam, single stitching	6/ Flat-seam folded, single stitching																									
7/ Flat-seam unfolded, double stitching	8/ Flat-seam folded, single stitching																									
9/ Flat-seam folded, single stitching	10/ Flat-seam folded, single stitching - with piping																									
11/ Inside seam, single stitching	12/ Inside seam, single stitching																									
13/ Inside seam, single stitching	14/ Flat-seam unfolded, double stitching																									
15/ Flat-seam unfolded, double stitching	16/ Flat-seam unfolded, double stitching																									
17/ Flat-seam unfolded, double stitching	18/ Flat seam unfolded, Single stitching																									
19/ Inside seam, single stitching	20/ Flat-seam folded, single stitching (red square, bottom right)																									
21 / Flat-seam unfolded, double stitching (Red middle square right)	22/ Flat-seam unfolded, double stitching (red square, right top)																									
23/ Flat-seam folded, single stitching (red square, left)																										

## PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed for motorcycle

It is a category II product.

## GENERAL REQUIREMENTS

### Standard EN ISO 21420 : 2020

Available Size Range: DXS (6), DS (7), DM (8), DL (9), DXL (10)

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B

## SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

### Motorcycle gloves EN 13594 : 2015

Protection offered	Performance levels
Level	Level 1
Knuckle Protection	YES

## TEST REPORTS

	CTC	Other
EN ISO 21420 + innocuousness	L210100616_1 L210611242_1	LEHTX00871520
EN 13594	L210100618_1 L210508170_1 L210508678_1 L210100610_1	LECFI00 363608

## MARKING - PACKAGING

### Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : ARCTIC LADY GLOVE

Article Code : 5ARD

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

### Marking example :



EN 13594:2015



OUTSHELL  
36% leather  
40% polyester  
16% polyamide  
8% PU  
LINING  
100% polyester  
INSERT  
100% PU  
ORDER NR  
03-YJ07-20

RICHA NV   
Motorcycle glove  
Article: ARCTIC LADY  
GLOVE - 5ARD100  
Size: DS/7  
Care instruction:  
- hand wash  
- do not bleach  
- do not iron  
- do not dry clean  
- do not tumble dry  


RICHA N.V.  
WESTERRING 27  
9700 OUDENAARDE  
BELGIUM

DS/5

### Marking of packaging example :



### Method of marking on the glove :

Label

### Packaging :

Plastic bag with product label

### PPE subject to ageing :

Peremption period : 5 years after the first use when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear...)



## MEANS OF CONTROL

1. Research and development
2. Sourcing
3. Purchasing
4. Documentation and traceability
5. Receipt of raw materials / Control of supplies
- Testing of raw materials in laboratory: pH & Azoïcs test with every new shipment
6. Quality control during glove manufacturing
7. Quality control of finished gloves
8. Quality control packaging & labels
9. Quality control finished shipment
10. Quality control necessary documents
11. Receipt and inspection of documents and gloves at headquarters
12. Written evaluation finished order

DNV·GL

## MANAGEMENT SYSTEM CERTIFICATE

Certificate No: 302793-2016-AQ-BEL-RvA Initial certification date: 22 August 2016 Valid: 22 August 2019 - 21 August 2022

This is to certify that the management system of

### Richa

Westerring 27, 9700 Oudenaarde, Belgium

has been found to conform to the Quality Management System standard:  
**ISO 9001:2015**

This certificate is valid for the following scope:  
**The design, distribution, customization and post-delivery activities of motorcycle clothing and accessories.**

Place and date:  
Barendrecht, 07 November 2019



The RvA is a signatory to the IAF MLA

For the issuing office:  
DNV GL - Business Assurance  
Zwolsweg 1, 2994 LB, Barendrecht,  
Netherlands

J.H.C.N. van Gijzen  
Management Representative

Lack of fulfillment of conditions as set out in the Certification Agreement may render this Certificate invalid.  
ACCREDITED UNIT: DNV GL Business Assurance B.V., Zwolsweg 1, 2994 LB, Barendrecht, Netherlands. TEL: +31 102922689, www.dnvgi.com/assurance