

## **EU-TYPE EXAMINATION CERTIFICATE**



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/1744/162/03/21/0577

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

Manufacturer: RICHA

Westerring 27, 9700 Oudenaarde

Belgium

**Description** 

PPE Type: Protective motorcycle's glove

**Product reference:** Hurricane GTX glove

Article code: Black - 5HU100

Glove description: Constructed from a fusion of Cordura stretch fabric and

goatskin leather. Breathable and windproof motorbike gloves

with a warm fleece lining.


Available sizes: S (7), M (8), L (9), XL (10), XXL (11), XXXL (12), XXXXL (13)

#### Pictures :









- hand wash
- do not bleach
- do not iron
- do not dry clean
- do not tumble dry

OUTSHELL
59% leather
38% polyamide
3% PU
LINING
100% polyester
INSERT
100% PTFE GORE-TEX

ORDER NR 12-YJ39-19 RICHA N.V. WESTERRING 27 9700 OUDENAARDE BELGIUM

**L/9** 

Reference standard:

Levels of performance

EN ISO 21420: 2020

EN 13594:2015

#### Level 1 with Knuckle Protection

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 02 dated from April 2021

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by Didier GUISADO

MARKIN

Certification and Quality Manager

Equipment and repealing the Directive 89/686/EEC.

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective



Date of first issue: 29 March 2021 End of validity date: 29 March 2026 Update 01 29 April 2021



www.ctcgroupe.com

cemarking@ctcgroupe.com

Accreditation n# 5-0594
Scope available on:

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com



## **RICHA**

# MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product : Hurricane GTX glove

Article code : Black - 5HU100

Technical file index : 02

Last update : April 2021

## **IDENTIFICATION**

Reference of the product : : Hurricane GTX glove Article code : : Black - 5HU100

Basic Model

Technical file index: : 02

Last update: : April 2021

### **Manufacturer:**

**RICHA** 

Westerring 27, 9700 Oudenaarde

Belgium

tel: 0032 55 235326 fax: 0032 55 428110

## Factory:

PT. YOUNG JIN SPORT INDONESIA

BAKALAN RT. 02/02, KEL. CEPER KEC. CEPER, KLATEN JAWA TENGAH 57465 INDONESIA

## **GLOVE DESCRIPTION**

## **General glove description:**

Constructed from a fusion of Cordura stretch fabric and goatskin leather. Breathable and windproof motorbike gloves with a warm fleece lining.

## Visual description (picture back and palm sides) :





Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)					
		Applicable	Covered by		
§1	Requirements defined in the Annex II §1 are applicable to all PPE		✓ Standard		
		V	☑ Instruction for use		
			✓ Marking		
	Manufacturer's instructions and information is available	<b>V</b>	☐ Standard		
§1.4			☑ Instruction for use		
			☐ Marking		
§2.1	PPE incorporating adjustements systems		☑ Standard		
			☑ Instruction for use		
			☑ Marking		
	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	v	☑ Standard		
§2.2			☑ Instruction for use		
			☐ Marking		
	If it is known that the design performance of new PPE may be significantly	[J]	☐ Standard		
	affected by ageing, the month and year of manufacture and/or, if possible, the		☑ Instruction for use		
§2.4	month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.				
			☑ Marking		
	0.1 0.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1				
	Where appreciable and rapid deterioration in PPE performance is likely to be		☐ Standard		
	caused by ageing resulting from the periodic use of a cleaning process recommended by the manufacturer, the latter must, if possible, affix a marking to each item of PPE placed on the market indicating the maximum number of	v	Standard		
			☑ Instruction for use		
§2.4			Instruction for use		
	cleaning operations that may be carried out before the equipment needs to be				
	inspected or discarded. Where such a marking is not affixed, the manufacturer		✓ Marking		
	must give that information in his instructions				
	PPE which may be caught up during use	V	☐ Standard		
§2.5			☐ Instruction for use		
			☐ Marking		
	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	v	☑ Standard		
§2.12			☑ Instruction for use		
			✓ Marking		
	Multi-risk PPE	Ø	☑ Standard		
§2.14			☑ Instruction for use		
-			☑ Marking		
	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	V	☑ Standard		
§3.1.1			☑ Instruction for use		
			✓ Marking		
	The PPE is intended to protect against mechanical injuries	V	☑ Standard		
§3.3			☑ Instruction for use		
			✓ Marking		
Cnocific		V	☑ Standard		
Specific application	Motorcycle glove		☑ Instruction for use		
application			✓ Marking		

## **Glove constitution:**

	Reference	Color	Material (composition)	Surfacic mass (g/m²)	Gauges	Thickness
Palm	YJ-MT#2 (GOAT D/D WR (#GD0001))	Black	100% leather			0,65 - 0,75 mm
	YJ-MT#15 (GOAT WINDOW (1030336))	Black	100% leather			0,65 - 0,75 mm
	GEN-MT#19 (VELCRO (HOOK & LOOP) 1,5 INCH (04-05-008))	Black	100% nylon			
	GEN-MT#83 (PLASTIC RING 20MM)	Black	100% acetal			
Back	YJ-MT#18 (NYSPAN #1713 (LAMI) (1041614))	Black	91% nylon, 9% PU			
Fourchette	YJ-MT#21 (WIPER (#WIP0001))	Black	100% TPU			
	YJ-MT#18 (NYSPAN #1713 (LAMI) (1041614))	Black	91% nylon, 9% PU			
Cuff	YJ-MT#23 (MICRO FIBER (#MF0000))	Black	50% polyester, 50% PU	350 g/yd		
	GEN-MT#89 (GORE-TEX LABEL (#GTWL0001))	Black/gold	100% polyester	0,25g		
	YJ-MT#41 (E/BAND (3020703))	Black	50% polypropylene, 50% PU	4g/yd		
Lining	YJ-MT#16 (PIQUE WITH GLUE (PQ001MO-YJ))	Black	90% polyester, 10% PU			
	YJ-MT# 19 (TASLAN 205T HIPORA (1041905))	Black	100% nylon	135g/m²		
	YJ-MT#25 (7MM SPONGE (3220310))	White	80% nylon, 20% PU			
Intrernal lining (membrane)	YJ-MT#24 (GORE- TEX MCFG INSERT (MCFG))		100% ePTFE			
Metacarpal protection	YJ-MT#22 (TPU KNUCKLE PROTECTOR (#TKP0001))	Black	100% TPU	32g		
Binding	YJ-MT#20 (ROLL PU (3200302))	Black	54% nylon, 46% PU	3 g/yd		



This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425. This glove is designed for motorcycle

It is a category II product.

#### **GENERAL REQUIREMENTS**

## **Standard EN ISO 21420 : 2020**

Available Size Range: S (7), M (8), L (9), XL (10), XXL (11), XXXL (12), XXXXL (13)

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

### SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

#### Motorcycle gloves EN 13594: 2015

Protection offered	Performance levels
Level	Level 1
Knuckle Protection	YES

## **TEST REPORTS**

	CTC	Other
EN ISO 21420 + innocuousness	L210304606_1 L210201972_2 L210100616_1 L210203209_1	
EN 13594	L210201971_2	Satra: SPC0252661/1649/2

## **MARKING - PACKAGING**

## Information printed on the glove :

Logo of Manufacturer:

Logo (€

Glove's reference : Hurricane GTX glove Article Code : Black - 5HU100

Size indicator


Pictograms related to risks against which protection is offered with performance levels

Information pictogram
Address of Manufacturer:

Date of Manufacture (month/year) and/or Serial number :

#### Marking example:





OUTSHELL 59% leather 38% polyamide 3% PU LINING 100% polyester INSERT 100% PTFE GORE-TEX

ORDER NR 12-YJ39-19 RICHA N.V. WESTERRING 27 9700 OUDENAARDE BELGIUM

L/9

### Marking of packaging example:



#### Method of marking on the glove :

Inside labels and i-booklet

#### Packaging:

Plastic bag

#### PPE subject to ageing :

Peremption period: 5 years when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

### **MEANS OF CONTROL**

- 1. Research and development
  - 2. Sourcing
  - 3. Purchasing
- 4. Documentation and traceability
- 5. Receipt of raw materials / Control of supplies
- Testing of raw materials in laboratory: pH & Azoïcs test with every new shipment
  - 6. Quality control during glove manufacturing
    - 7. Quality control of finished gloves
    - 8. Quality control packaging & labels
    - 9. Quality control finished shipment
  - 10. Quality control necessary documents11. Receipt and inspection of documents and gloves at headquarters

12. Written evaluation finished order

MANAGEMENT SYSTEM
CERTIFICATE

Certificate No:
202735-2016-Ng-Get-ReA.
22 August 2016

This is to certify that the management system of

Richa
Westerring 27, 9700 Oudenaarde, Belgium

has been found to conform to the Quality Management System standard:
ISO 9001:2015

This certificate is valid for the following scope:
The design, distribution, customization and post-delivery activities of motorcycle clothing and accessories.

Price and data:
Berendreckt, 67 November 2019

For the Isosing office:
ONY G. - Beatment accessories.

For the Isosing office:
ONY G. - Beatment accessories.

For the Isosing office:
ONY G. - Beatment accessories.

JECAL Van Cipperts.

Lack of fulfilment of conditions as set out in the Certification Agreement may re