



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/1744/162/05/23/0872

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : **RICHA NV**
Westerring 27, 9700 Oudenaarde
Belgium

Description

PPE Type : *Protective motorcycle's glove*


Product reference : **Extreme 2 Gore-tex Glove**

Article code : **Black - 5EXII100**

Glove description : **Leather and textile glove with D3O knuckle protector**

Available sizes : **S (7), M (8), L (9), XL (10), 2XL (11), 3XL (12)**

Pictures :



Reference standard :

Levels of performance

EN ISO 21420 : 2020

-

EN 13594:2015

Level 1 with Knuckle Protection

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from MAY 2023 and in the user instruction version 2:2 - May 2022.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISSADO
Certification Manager



Date of first issue : 26 May 2023
End of validity date : 26 May 2028



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

RICHA NV

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	Extreme 2 Gore-tex Glove
Article code	:	Black - 5EXII100
Technical file index	:	01
Last update	:	MAY 2023

IDENTIFICATION

Reference of the product :	:	Extreme 2 Gore-tex Glove
Article code :	:	Black - 5EXII100
Basic Model		
Technical file index :	:	01
Last update :	:	MAY 2023

Manufacturer :

RICHA NV

Westerring 27, 9700 Oudenaarde

Belgium

tel : 0032 55 235326

fax : 0032 55 428110

Factory :

PT. YOUNG JIN SPORT INDONESIA

BAKALAN RT. 02/02, KEL. CEPER KEC. CEPER, KLATEN JAWA TENGAH 57465

INDONESIA

tel: +82 2 3474 0106

fax: +82 2 3474 0176

GLOVE DESCRIPTION

General glove description :

Leather and textile glove with D3O knuckle protector

Visual description (picture back and palm sides) :





Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.1	PPE incorporating adjustments systems	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
Specific application	Motorcycle glove	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Glove constitution :

	Reference	Color	Material (composition)	Surfacic mass (g/m ²)	Gauges	Thickness
Palm	YJ-MT#2 (GOAT D/D)	Black	100% leather			0.65 - 0.75 MM
	YJ-MT#14 (GOAT NAPPA KURNIA)	Black	100% leather			0.65 - 0.75 MM
	YJ-MT#39 (AX CONNECT VN (CONDUCTIVE PU))	Black	65% Polyester, 35% PU	180 g/yd		
	YJ-MT#27 (COW NAPPA (DULL))	Black	100% leather			0.75 - 0.85 MM
	YJ-MT#88 (NTS #3729 KEVLAR #7152)	Black	78 % Nylon, 14% Kevlar, 8% PU	660 g/m ²		
Back	YJ-MT#2 (GOAT D/D)	Black	100% leather			0.65 - 0.75 MM
	YJ-MT#62 (REFLECTIVE FABRIC)	Dark grey	65% polyester, 30% cotton, 5% PU	250 g/yd		
	YJ-MT#52 (NYSPAN #1715 (LAMI))	Black	94% polyester, 6% PU	430 g/yd		
Fourchette	YJ-MT#2 (GOAT D/D)	Black	100% leather			0.65 - 0.75 MM
	YJ-MT#21	Black	TPR WIPER			
Cuff	GEN-MT#19 (VELCRO (HOOK & LOOP) 1.5 INCH)	Black				
	YJ-MT#45 (STONE PU)	Black	36% polyester, 64% PU	160-200 g/yd		
	YJ-MT#31 (PU FABRIC BLACK)	Black	64% PE, 36% PU			
	YJ-MT#41	Black	E/BAND 50% polypropylene, 50% PU			
Lining	YJ-MT#16 (PIQUE WITH/ WITHOUT GLUE)	Black	90% polyester, 10% PU			
	YJ-MT#33 (TASLAN 205T (PU2T))	Black	100% nylon	135 g/yd		
Internal lining (membrane)	YJ-MT#24 (GORE-TEX MCFG INSERT)	White	100% ePTFE	35 g/m ²		
Metacarpal protection	GEN-MT#94 - D3O FOAM (D3OFOAM#003)	Orange	100% PU			
	YJ-MT#59 (5/5MM TEMPER FOAM GREY)	Grey	100% PU			
	YJJ-MT#133 (NB TRI-FLEECE BONDED)	Black	100% polyester	260 g/m ²		
Binding	YJ-MT#20 - ROLL PU (3200302) (DONGGWANG)	Black	54% Nylon, 46% Polyurethane	54" 350g/yd		

Pictures
of
material
+ seams



SEAM LIST EXTREME 2 GORE-TEX GLOVE				
NUMBER	SIDE 1	SIDE 2	TYPE	TEST REPORT NUMBER
1	Not structural			
2	YJ-MT#52 (NYSPAN #1715 (LAMI))	YJ-MT#62 (REFLECTIVE FABRIC) + YJ-MT#2 (GOAT D/D) + YJ-MT#58 (SMM SPONGE) + YJ-MT#26 (POWERNET (KNITTED WHITE))	Flat seam unfolded, single stitching accordion	SPC0316893 2129 3 19449/2
3	YJ-MT#2 (GOAT D/D)	YJ-MT#2 (GOAT D/D) + YJ-MT#58 (SMM SPONGE) + YJ-MT#26 (POWERNET (KNITTED WHITE))	Flat seam folded, single stitching accordion	SPC0316893 2129 3 19449/2
4	Not structural			
5	YJ-MT#2 (GOAT D/D)	YJ-MT#2 (GOAT D/D)	Inside seam, single stitching	SPC0316893 2129 3 19449/2
6	YJ-MT#2 (GOAT D/D)	YJ-MT#62 (REFLECTIVE FABRIC) + YJ-MT#2 (GOAT D/D) + YJ-MT#58 (SMM SPONGE) + YJ-MT#26 (POWERNET (KNITTED WHITE))	Flat seam folded, single stitching accordion	SPC0316893 2129 3 19449/2
7	Not structural			
8	Not structural			
9	Not structural			
10	YJ-MT#2 (GOAT D/D)	YJ-MT#52 (NYSPAN #1715 (LAMI))	Inside seam, single stitching	SPC0316893 2129 3 19449/2
11	Not structural			
12	YJ-MT#2 (GOAT D/D)	YJ-MT#2 (GOAT D/D)	Flat seam unfolded, double stitching	SPC0316893 2129 3 19449/2
13	Not structural			
14	YJ-MT#27 (COW NAPPA (DULL))	YJ-MT#88 (NTS #3729 KEVLAR #7152)	Flat seam unfolded, double stitching	SPC0316893 2129 3 19449/2
15	YJ-MT#2 (GOAT D/D)	YJ-MT#52 (NYSPAN #1715 (LAMI))	Flat seam unfolded, single stitching zigzag	SPC0316893 2129 3 19449/2
16	YJ-MT#52 (NYSPAN #1715 (LAMI))	YJ-MT#52 (NYSPAN #1715 (LAMI))	Inside seam, single stitching	SPC0316893 2129 3 19449/2
17	Not structural			
18	Not structural			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed for motorcycle

It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Available Size Range: S (7), M (8), L (9), XL (10), 2XL (11), 3XL (12)

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Motorcycle gloves EN 13594 : 2015

Protection offered	Performance levels
Level	Level 1
Knuckle Protection	YES


TEST REPORTS

	CTC	Other
EN ISO 21420 + innocuousness	L210100616_1; L211222339_1; L210201972_2; L210713807_1; L221019192_1; L220713537_1; L220407869_1; L220303757_1; L220713101_1; L221120977_1; L220610510_1; L211222339_1; L221018542_2; L221018366_1.	IDIADA MT21020107
EN 13594	L210100610_1 L221120971_1	SATRA SPC0316893 2129 3 19449/2

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : Extreme 2 Gore-tex Glove

Article Code : Black - 5EXII100

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

Marking example :



Marking of packaging example :

RICHA RICH A N.V., WESTERRING 27, 9700 OUDENAARDE, BELGIUM

EXTREME 2 GORE-TEX GLOVE

5EXII100 - L

BLACK



Method of marking on the glove :

Labels stitched inside the cuff

Packaging :

Plastic bag with product label

PPE subject to ageing :

Peremption period : 5 years after the first use after the first use when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

MEANS OF CONTROL

1. Research and development
2. Sourcing
3. Purchasing
4. Documentation and traceability
5. Receipt of raw materials / Control of supplies
 - Testing of raw materials in laboratory: pH & Azoics test with every new shipment
 - Measuring of material weight before accepting shipment to make sure the identical g/m² is purchased as before
6. Quality control during glove manufacturing
7. Quality control of finished gloves
 - Control of the the glove finish, if there are deformations in the glove, loose threads, ergonomics, scraping of the material on the skin of 10 pairs randomly selected.
 - Aging in climatic chambers of 10 pairs randomly selected
8. Quality control packaging & labels
9. Quality control finished shipment
10. Quality control necessary documents
11. Receipt and inspection of documents and gloves at headquarters
12. Written evaluation finished order