

EU-TYPE EXAMINATION CERTIFICATE



UK

US

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/1744/161/10/22/1847

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

Issued to: RICHA NV

Westerring 27, 9700 Oudenaarde

Belgium

Description

PPE Type: motorcycle footwear

Reference standard: EN 13634:2017

Product reference: ANDORRA WP SHOES

Article code: Black - 4ANWP100, Light Grey - 4ANWP200

Size range: 40-47

Protection level: 1122 WR

Pictures:











At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from OCTOBER 2022 and the user notice index v02/2022.

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISADO
Certification Manager



Date of first issue: 17 October 2022 End of validity date: 17 October 2027



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

www.ctcgroupe.com

cemarking@ctcgroupe.com



RICHA NV

MANUFACTURER'S TECHNICAL FILE

Reference of the product :	ANDORRA WP SHOES
Article code :	Black - 4ANWP100, Light Grey - 4ANWP200
Technical file index :	01
Last update :	OCTOBER 2022

IDENTIFICATION

Reference of the product : ANDORRA WP SHOES

Black - 4ANWP100, Light Grey -

Article code : 4ANWP200

Basic model

Technical file index: 01

Last update : OCTOBER 2022

Manufacturer:

RICHA NV

Westerring 27, 9700 Oudenaarde

Belgium

tel: 0032 55 235326 fax: 0032 55 428110

Factory:

SURCHEER INDUSTRIAL Taichung City, 401 Taiwan

	Risk assessment (Essential Health and Safety Requ	uirement. Anne	k II - PPE Re	egulation)
		Applicable		Covered by
	Requirements defined in the Annex II §1 are applicable		√	Standard
§1	to all PPE	√	√	Instruction for use
	10 4.111 2		√	Marking
			✓	Standard
§1.4	Manufacturer's instructions and information is available	✓	✓	Instruction for use
				Marking
	PPE is designed and manufactured in a way that		√	Standard
§2.2	perspiration resulting from use is minimised. Otherwise	✓	√	Instruction for use
	it must be equipped with means of absorbing perspiration.		F	Marking
	If it is known that the design performance of new PPE		+=-	
	may be significantly affected by ageing, the month and			Standard
§2.4	year of manufacture and/or, if possible, the month and	✓	√	Instruction for use
92.4	year of obsolescence must be indelibly and			ilistruction for use
	unambiguously marked on each item of PPE placed on the market and on its packaging.		✓	Marking
	the market and on its packaging.		\vdash	Standard
§2.9	PPE incorporating components which can be adjusted or	V		Instruction for use
•	removed by the user			Marking
	PPE bearing one or more identification markings or		\[\sigma\]	Standard
§2.12	indicators directly or indirectly relating to health and safety	√	\[\sigma\]	Instruction for use
			✓	Marking
				Standard
§2.14	Multi-risk PPE	√	7	Instruction for use
-			7	Marking
	The PPE is intended to protect against impact caused by	V	\[\frac{1}{\sqrt{1}}\]	Standard
§3.1.1	falling or ejected objects and collisions of parts of the		7	Instruction for use
301212	body with an obstacle		7	Marking
		nst mechanical	7	Standard
§3.3 The PPE is intended to protect a injuries	The PPE is intended to protect against mechanical		7	Instruction for use
	injuries		√	Marking
	Motorcycle footwear	7	V	Standard
Specific			□	Instruction for use
application			7	Marking

FOOTWEAR DESCRIPTION

Footwear description:

Motorcycle footwear

Visual description:









Reference of the mould: SC-MT#23 - RB RXA 1.0

Range of sizes:

40-47

Manufacturing process:

Select all materials used o samples, cut and sew according to product mould, checking the finishing, packaging and shipping.

FOOTWEAR CONSTITUTION

	Ref	Material	Color	
	SC-MT#1	Knitted uppers HS175-1D (165g)	Black	
	SC-MT#1-LG	Knitted uppers HS175-1D (165g)	Light Grey	
		TPU 0.4mm P036WND +0.2mm hot		
	SC-MT#2	melt adhesive Transparent TPU	Grey	
UPPER		(placed on top) (0.4mm + 0.2mm)		
	CC MTH12	10mm 48 way 192 Tudor two-tone	DLACK/ doub CDEV	
	SC-MT#12	flat ribbon 60"	BLACK/ dark GREY	
	SC-MT#12-LG	10mm 48 way 192 Tudor two-tone	Light Grey/White	
		flat ribbon 60"		
	SC-MT#4	LYCRA (170g)	Black	
COLLAR	SC-MT#4-LG	LYCRA (170g)	Light Grey	
	SC-MT#14	Air mesh D44F-02 (350g)	Black	
	SC-MT#10	Elastic webbing (10mm)	Black	
	SC-MT#6	RICHA Logo TPU 0.7mm FS8083	BLACK/GREY	
TONGUE		102NATURAL (0.7mm)		
	SC-MT#8	Webbing high density single knit tape	BLACK/GREY	
		(15mm) PU Non-wicking 0.8mm ST BUCK II		
GUSSET	SC-MT#15	(0.8mm)	Black	
		DAL-G220-21+2mmKF329+ low	_	
LINING	SC-MT#13	breathability +2586C (2mm)	GREY/BLACK	
		Flat cut insole L911 cloth +		
INSOLE	SC-MT#24	4.0x4.0mm blue imitation Oslide	Black/Blue	
		foam + monochrome transfer (4mm)		
		Bootie strobel board #2W12		
INSOCK	SC-MT#25	(1.25MM)		
OUTCOLE	SC-MT#23	RB RXA 1.0	BLACK	
OUTSOLE	SC-MT#23-E	EVA MD	GREY	
ANIZIE DDOTECTOS	CC NATUA 7	FOAM D3O 13488 4mm Zero Low	0	
ANKLE PROTECTOR	SC-MT#17	Density (4mm)	Orange	
	SC-MT#4 + SC-MT#16 +	LYCRA (170g) + FOAM T50 6-10mm +		
	SC-MT#14	Air mesh D44F-02 (350g)	Black/White	
	2C IVII#14	1116311 1471 -02 (330g)		
	 SC-MT#1 + SC-MT#16 +	Knitted uppers HS175-1D (165g) +		
	SC-MT#14	FOAM T50 6-10mm + Air mesh D44F-	Black/White	
COMPLEXES	JOC 1411/114	02 (350g)		
		Knitted uppers HS175-1D (165g) +		
		FOAM T50 6-10mm + Air mesh D44F-		
	SC-MT#1 + SC-MT#16 +	02 (350g) + DAL-G220-	Black/White/Grey	
	SC-MT#13	21+2mmKF329+ low breathability		
		+2586C (2mm)		
		TPU 0.4mm P036WND +0.2mm hot		
	SC-MT#2 + SC-MT#16 + SC-MT#13			
		melt adhesive Transparent TPU		
		(placed on top) (0.4mm + 0.2mm) +	Crov/Mh:+-	
		FOAM T50 6-10mm + Air mesh D44F-	Grey/ white	
		02 (350g) + DAL-G220-		
		21+2mmKF329+ low breathability		
Matallia slave vita / 1	CC NATUAA	+2586C (2mm)	DII.	
Metallic elements (zip,	SC-MT#11	EYELETT	Black	

PROTECTION SCOPE

Basic requirements:

This product has been designed to be a motorcycle footwear

This product meets the essential requirements of the Personal Protection Equipment Regulation 2016/425 The technical rules are :

EN 13634: 2017- Protective footwear for motorcycle riders

Height of upper	1
Abrasion resistance of upper	1
Cut resistance of upper	2
Transverse rigidity of outsole	2

It is a category II product.

At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (n° 1907/2006 and revisions)

Additional requirements:

Water resistance (WR)

MARKING - PACKAGING

Information printed on the footwear:

- * (\(\) marking
- * reference of the model :
- * Article Code :
- * size
- * Logo of the manufacturer
- Postal address of manufaturer
- * Manufacturer's type designation
- * The number and year of the Standard used
- * The motorcycler pictogram
- * The levels of basic requirements
- * The additional requirements

Marking example:





ANDORRA WP SHOES

Black - 4ANWP100, Light Grey - 4ANWP200



Method of marking on the footwear:

Labels

Packaging:

cardboard box

Peremption period:

Peremption period: 5 years when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity:

Available on: www.richa.eu

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	References	Laboratory	References	
CTC LYON	L220815449_2	CTC LYON	L220815467_1	
CTC LYON	L220815463_1			

MEANS OF CONTROL

- 1. Research and development
- 2. Sourcing
- 3. Purchasing
- 4. Documentation and traceability
- 5. Receipt of raw materials / Control of supplies
- Testing of raw materials in laboratory
- 6. Quality control during shoes manufacturing
- 7. Quality control of finished shoes
- 8. Quality control packaging & labels
- 9. Quality control finished shipment
- 10. Quality control necessary documents
- 11. Receipt and inspection of documents and gloves at headquarters
- 12. Written evaluation finished order

See ISO 9001 certificate

Also ISO 14001 and ISO 45001 available