



# EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

**Certificate N°**                    **0075/1744/161/10/22/1893**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

**Issued to :**                        **RICHA NV**  
Westerring 27, 9700 Oudenaarde  
Belgium

### Description

**PPE Type :**                        **motorcycle footwear**  
**Reference standard :**            **EN 13634:2017**  
**Product reference :**              **DOUGLAS WP SHOES**  
**Article code:**                    **Black - 4DOWP100, Grey - 4DOWP200**  
**Size range :**                      **40-47**  
**Protection level :**                **1 2 2 1 WR**

### Pictures :




At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from October 2022 and the user notice v02/2022

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

**Issued in Lyon by**  
**Didier GUISSADO**  
Certification and Quality Manager

**Date of first issue :**            28 October 2022  
**End of validity date :**         28 October 2027



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



[www.ctcgroupe.com](http://www.ctcgroupe.com)

[cemarking@ctcgroupe.com](mailto:cemarking@ctcgroupe.com)

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France  
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com)

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie  
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

**RICHA NV**

## **MANUFACTURER'S TECHNICAL FILE**

**Reference of the product :**

**DOUGLAS WP SHOES**

**Article code :**

**Black - 4DOWP100, Grey - 4DOWP200**

**Technical file index :**

**01**

**Last update :**

**OCTOBER 2022**

# IDENTIFICATION

|                            |                                   |
|----------------------------|-----------------------------------|
| Reference of the product : | DOUGLAS WP SHOES                  |
| Article code :             | Black - 4DOWP100, Grey - 4DOWP200 |
| Basic model                |                                   |
| Technical file index :     | 01                                |
| Last update :              | OCTOBER 2022                      |

## Manufacturer :

RICHA NV  
Westerring 27, 9700 Oudenaarde  
Belgium  
tel : 0032 55 235326  
fax : 0032 55 428110

## Factory :

SURCHEER INDUSTRIAL  
Taichung City, 401  
Taiwan

| Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation) |  |                                     |                                     |                     |
|--|--|-------------------------------------|-------------------------------------|---------------------|
|  |  | Applicable                          | Covered by                          |                     |
| §1   | Requirements defined in the Annex II §1 are applicable to all PPE  | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Standard            |
|  |  |                                     | <input checked="" type="checkbox"/> | Instruction for use |
|  |  |                                     | <input checked="" type="checkbox"/> | Marking             |
| §1.4   | Manufacturer's instructions and information is available   | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Standard            |
|  |  |                                     | <input checked="" type="checkbox"/> | Instruction for use |
|  |  |                                     | <input type="checkbox"/>            | Marking             |
| §2.2   | PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.   | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Standard            |
|  |  |                                     | <input checked="" type="checkbox"/> | Instruction for use |
|  |  |                                     | <input type="checkbox"/>            | Marking             |
| §2.4   | If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging. | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | Standard            |
|  |  |                                     | <input checked="" type="checkbox"/> | Instruction for use |
|  |  |                                     | <input checked="" type="checkbox"/> | Marking             |
| §2.9   | PPE incorporating components which can be adjusted or removed by the user  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | Standard            |
|  |  |                                     | <input checked="" type="checkbox"/> | Instruction for use |
|  |  |                                     | <input type="checkbox"/>            | Marking             |
| §2.12  | PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety   | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Standard            |
|  |  |                                     | <input checked="" type="checkbox"/> | Instruction for use |
|  |  |                                     | <input checked="" type="checkbox"/> | Marking             |
| §2.14  | Multi-risk PPE   | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Standard            |
|  |  |                                     | <input checked="" type="checkbox"/> | Instruction for use |
|  |  |                                     | <input checked="" type="checkbox"/> | Marking             |
| §3.1.1   | The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle  | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Standard            |
|  |  |                                     | <input checked="" type="checkbox"/> | Instruction for use |
|  |  |                                     | <input checked="" type="checkbox"/> | Marking             |
| §3.3   | The PPE is intended to protect against mechanical injuries   | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Standard            |
|  |  |                                     | <input checked="" type="checkbox"/> | Instruction for use |
|  |  |                                     | <input checked="" type="checkbox"/> | Marking             |
| Specific application   | Motorcycle footwear  | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Standard            |
|  |  |                                     | <input checked="" type="checkbox"/> | Instruction for use |
|  |  |                                     | <input checked="" type="checkbox"/> | Marking             |

# FOOTWEAR DESCRIPTION

## Footwear description:

Motorcycle footwear

## Visual description:

General view :



Outsole view :



Reference of the mould : SC-MT#27

## Range of sizes :

40-47

## Manufacturing process :

Select all materials used of samples, cut and sew according to product mould, checking the finishing, packaging and shipping.

# FOOTWEAR CONSTITUTION

|                                    | Ref                            | Material  | Color                      |
|------------------------------------|--------------------------------|---|----------------------------|
| UPPER                              | SC-MT#26                       | Suede leather (WP) (1.6-1.8mm)  | Black                      |
|                                    | SC-MT#30                       | Knitted upper HS177-1D (800g)   | Black                      |
|                                    | SC-MT#29                       | PU 1.2mm SF-LYTE P391WMS (1.2mm)  | Black                      |
|                                    | SC-MT#32                       | Non-wicking non-woven (1.2mm)   | Black                      |
|                                    | SC-MT#26-LG                    | Suede leather (WP) (1.6-1.8mm)  | Light Grey                 |
|                                    | SC-MT#30-G                     | Knitted upper HS177-1D (800g)   | Grey                       |
|                                    | SC-MT#29-LG                    | PU 1.2mm SF-LYTE P391WMS (1.2mm)  | Light Grey                 |
| COLLAR                             | SC-MT#31                       | Knitted fabric HX178-1D (34g/pair)  | Black                      |
|                                    | SC-MT#14                       | Air mesh D44F-02 (350g)   | Black                      |
|                                    | SC-MT#31-G                     | Knitted fabric HX178-1D (34g/pair)  | Grey                       |
| TONGUE                             | SC-MT#10                       | Elastic webbing (10mm)  | Black                      |
|                                    | SC-MT#31                       | Knitted fabric HX178-1D (34g/pair)  | Black                      |
|                                    | SC-MT#28                       | Cotton laces 40 way 120 Tudor two-tone 8mm 58"  | Black                      |
| GUSSET                             | SC-MT#15                       | PU Non-wicking 0.8mm ST BUCK II (0.8mm)   | Black                      |
| VAMP LINING                        | SC-MT#13                       | DAL-G220-21+2mmKF329+ low breathability +2586C (2mm)  | GREY/BLACK                 |
| INSOLE                             | SC-MT#24                       | Flat cut insole L911 cloth + 4.0x4.0mm blue imitation Oslide foam + monochrome transfer (4mm) | Black/Blue                 |
| INSOCK                             | SC-MT#25                       | Bootie strobil board #2W12 (1.25MM)   |                            |
| OUTSOLE                            | SC-MT#27                       | RXA 4.0   | BLACK                      |
| ANKLE PROTECTOR                    | SC-MT#17                       | FOAM D30 13488 4mm Zero Low Density (4mm)   | Orange                     |
| COMPLEXES                          | SC-MT#30 + SC-MT#16 + SC-MT#14 | Knitted upper HS177-1D + FOAM T50 6-10mm + Air mesh D44F-02                                   | Black - White              |
|                                    | SC-MT#30 + SC-MT#16 + SC-MT#13 | Knitted upper HS177-1D + FOAM T50 6-10mm + DAL-G220-21+2mmKF329+ low breathability +2586C     | Black - White - Grey/Black |
|                                    | SC-MT#26 + SC-MT#16 + SC-MT#13 | Suede leather (WP) + FOAM T50 6-10mm + DAL-G220-21+2mmKF329+ low breathability +2586C         | Black - White - Grey/Black |
|                                    | SC-MT#31 + SC-MT#16 + SC-MT#13 | Knitted fabric HX178-1D + FOAM T50 6-10mm + DAL-G220-21+2mmKF329+ low breathability +2586C    | Black - White - Grey/Black |
| Metallic elements (zip, button...) | SC-MT#11<br>SC-MT#9            | EYELETT<br>ZIPPER CFC-86 DAW E P19 BTM-0 N-ANTI ND-B NON STOP                                 | Black                      |

# PROTECTION SCOPE

## Basic requirements :

This product has been designed to be a motorcycle footwear

This product meets the essential requirements of the Personal Protection Equipment Regulation 2016/425

The technical rules are :

## EN 13634 : 2017 - Protective footwear for motorcycle riders

|                                |   |
|--------------------------------|---|
| Height of upper                | 1 |
| Abrasion resistance of upper   | 2 |
| Cut resistance of upper        | 2 |
| Transverse rigidity of outsole | 1 |

It is a category II product.

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)

## Additional requirements :


Water resistance (WR)

# MARKING - PACKAGING

## Information printed on the footwear :

- \* **CE** marking
- \* reference of the model : DOUGLAS WP SHOES
- \* Article Code : Black - 4DOWP100, Grey - 4DOWP200
- \* size
- \* Logo of the manufacturer
- \* Postal address of manufacturer
- \* Manufacturer's type designation
- \* The number and year of the Standard used
- \* The motorcyclist pictogram
- \* The levels of basic requirements
- \* The additional requirements

## Marking example :



**Method of marking on the footwear :**

Labels

**Packaging :**

cardboard box

**Peremption period :**

Peremption period : 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

**Declaration of conformity :**

Available on : [www.richa.eu](http://www.richa.eu)

**References of test reports performed in order to verify the compliance with the requirements of the technical rules**

| <u>Laboratory</u> | <u>References</u> | <u>Laboratory</u> | <u>References</u> |
|-------------------|-------------------|-------------------|-------------------|
| CTC LYON          | L220815476_2      |                   |                   |
| CTC LYON          | L220815479_1      |                   |                   |
| CTC LYON          | L220815486_1      |                   |                   |
| CTC LYON          | L220815463_1      |                   |                   |
| CTC LYON          | L220815467_1      |                   |                   |



# MEANS OF CONTROL

1. Research and development
  2. Sourcing
  3. Purchasing
  4. Documentation and traceability
  5. Receipt of raw materials / Control of supplies
    - Testing of raw materials in laboratory
  6. Quality control during shoes manufacturing
  7. Quality control of finished shoes
  8. Quality control packaging & labels
  9. Quality control finished shipment
  10. Quality control necessary documents
  11. Receipt and inspection of documents and gloves at headquarters
  12. Written evaluation finished order
    - See ISO 9001 certificate
- Also ISO 14001 and ISO 45001 available

