

EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

0075/1744/161/10/22/1852 Certificate N°

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

Issued to: **RICHA NV**

Westerring 27, 9700 Oudenaarde

Belgium

Description

PPE Type: motorcycle footwear

Reference standard: EN 13634:2017


Product reference: TRAVIS WP SHOES

Article code: Black - 4TRWP100, Dark Brown - 4TRWP1000

40-47 Size range:

Protection level: 1222WR





At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from OCTOBER 2022 and the user notice index v02/2022.

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by Nadine PIPAZ

MARKIN

CE Expert Team Coordinator

Date of first issue: End of validity date: 17 October 2022 17 October 2027





www.ctcgroupe.com



CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél.: +33 (0)4 72 76 10 10 - Fax: +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie

Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726



RICHA NV

MANUFACTURER'S TECHNICAL FILE

Reference of the product :	TRAVIS WP SHOES
Article code :	Black - 4TRWP100, Dark Brown - 4TRWP1000
Technical file index :	01
Last update :	OCTOBER 2022

IDENTIFICATION

Reference of the product: TRAVIS WP SHOES

Black - 4TRWP100, Dark Brown -

4TRWP1000

Article code : Basic model

Technical file index: 01

Last update : OCTOBER 2022

Manufacturer:

RICHA NV

Westerring 27, 9700 Oudenaarde

Belgium

tel: 0032 55 235326 fax: 0032 55 428110

Factory:

SURCHEER INDUSTRIAL Taichung City, 401 Taiwan

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable		Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	√	√	Standard
			✓	Instruction for use
			√	Marking
§1.4	Manufacturer's instructions and information is available	✓	√	Standard
			√	Instruction for use
				Marking
§2.2	PPE is designed and manufactured in a way that		√	Standard
	perspiration resulting from use is minimised. Otherwise	√	√	Instruction for use
	it must be equipped with means of absorbing perspiration.			Marking
	If it is known that the design performance of new PPE			
	may be significantly affected by ageing, the month and			Standard
§2.4	year of manufacture and/or, if possible, the month and	✓	✓	Instruction for use
32	year of obsolescence must be indelibly and			moti detion for dae
	unambiguously marked on each item of PPE placed on the market and on its packaging.		✓	Marking
				Standard
§2.9	PPE incorporating components which can be adjusted or removed by the user	√	√	Instruction for use
				Marking
	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	√	√	Standard
§2.12			√	Instruction for use
			√	Marking
	Multi-risk PPE	V	√	Standard
§2.14			✓	Instruction for use
			√	Marking
	The PPE is intended to protect against impact caused by		√	Standard
§3.1.1	falling or ejected objects and collisions of parts of the body with an obstacle	✓	√	Instruction for use
			✓	Marking
	The PPE is intended to protect against mechanical injuries	V	√	Standard
§3.3			✓	Instruction for use
			✓	Marking
Specific	Motorcycle footwear	✓	✓	Standard
application			✓	Instruction for use
			√	Marking

FOOTWEAR DESCRIPTION

Footwear description:

Motorcycle footwear

Visual description:

General view:



Outsole view:



Reference of the mould: SC-MT#27

Range of sizes:

40-47

Manufacturing process:

Select all materials used o samples, cut and sew according to product mould, checking the finishing, packaging and shipping.

FOOTWEAR CONSTITUTION

	Ref	Material	Color	
	SC-MT#26	Suede leather (WP) (1.6-1.8mm)	Black	
	SC-MT#26-BR	Suede leather (WP) (1.6-1.8mm)	Brown	
	SC-MT#33	Nubuck leather (WP) with texture	Black	
		(1.6-1.8mm)		
UPPER	SC-MT#33-BR	Nubuck leather (WP) with texture	Brown	
		(1.6-1.8mm)		
	SC-MT#34	2M Reflective PU(A2-		
		U10)0.9mm(with cloth background)	Dark Grey	
		(0.9mm)		
	SC-MT#35	PU 1.2mm FT-3000-SC <p589wnr></p589wnr>	Black	
		(1.2mm)		
	SC-MT#36	"R" microinjection FH-8950	Black	
COLLAR	SC-MT#14	Air mesh D44F-02 (350g)	Black	
	SC-MT#10	Elastic webbing (10mm)	Black	
	SC-MT#28-BR	Cotton laces 40 way 120 Tudor two-	Brown	
TONGUE	SC WITHZO DIX	tone 8mm 58"	Brown	
	SC-MT#28	Cotton laces 40 way 120 Tudor two-	Black	
	30 WITH 20	tone 8mm 58"	Black	
GUSSET	SC-MT#15	PU Non-wicking 0.8mm ST BUCK II	Black	
		(0.8mm)		
VAMP LINING	SC-MT#13	DAL-G220-21+2mmKF329+ low	GREY/BLACK	
		breathability +2586C (2mm)	, -	
	SC-MT#24	Flat cut insole L911 cloth +		
INSOLE		4.0x4.0mm blue imitation Oslide	Black/Blue	
		foam + monochrome transfer (4mm)		
		Destinator ballon and #200/42		
INSOCK	SC-MT#25	Bootie strobel board #2W12 (1.25MM)	White	
	SC-MT#27-B/G	RXA 4.0	Black/Grey	
OUTSOLE	SC-MT#27-Br/B	RXA 4.0	Brown/Black	
		FOAM D3O 13488 4mm Zero Low		
ANKLE PROTECTOR	SC-MT#17	Density (4mm)	Orange	
	SC-MT#33 + SC-MT#20 + SC-MT#13	Nubuck leather (WP) with texture		
		(1.6-1.8mm)+ PROTECTION TOE BOX		
		Ultra-low temperature single-sided	Black - Grey -	
COMPLEXES		hot melt adhesive (CP-L10S2(N)) +	Grey/Black	
		DAL-G220-21+2mmKF329+ low		
		breathability +2586C (2mm)		
	SC-MT#33 + SC-MT#17 + SC-MT#13	Nubuck leather (WP) with texture		
		(1.6-1.8mm)+ FOAM D3O 13488	Black - Orange -	
		4mm Zero Low Density (4mm) + DAL-	Grey/Black	
		G220-21+2mmKF329+ low		
		breathability +2586C (2mm)		
Metallic elements (zip,	SC-MT#11	EYELETT		
buttom)	SC-MT#9	ZIPPER CFC-86 DAW E P19 BTM-0 N-	Black	
Suttomj		ANTI ND-B NON STOP		
	_	•	•	

PROTECTION SCOPE

Basic requirements:

This product has been designed to be a motorcycle footwear

This product meets the essential requirements of the Personal Protection Equipment Regulation 2016/425

The technical rules are:

EN 13634: 2017 - Protective footwear for motorcycle riders

Height of upper	1
Abrasion resistance of upper	2
Cut resistance of upper	2
Transverse rigidity of outsole	2

It is a category II product.

At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (n° 1907/2006 and revisions)

Additional requirements:


Water resistance (WR)

MARKING - PACKAGING

Information printed on the footwear:

- * **(€** marking
- * reference of the model :
- * Article Code :
- * size
- * Logo of the manufacturer
- * Postal address of manufaturer
- * Manufacturer's type designation
- * The number and year of the Standard used
- * The motorcycler pictogram
- * The levels of basic requirements
- * The additional requirements

Marking example:



TRAVIS WP SHOES



Black - 4TRWP100, Dark Brown - 4TRWP1000



Method of marking on the footwear:

Labels

Packaging:

cardboard box

Peremption period:

Peremption period: 5 years when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity:

Available on: www.richa.eu

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	References	Laboratory	References	
CTC LYON	L220815517_1	CTC LYON	L220815463_1	
CTC LYON	L220815521_1	CTC LYON	L220815467_1	
CTC LYON	L220815525_1	CTC LYON	L220815486_1	

MEANS OF CONTROL

- 1. Research and development
- 2. Sourcing
- 3. Purchasing
- 4. Documentation and traceability
- 5. Receipt of raw materials / Control of supplies
- Testing of raw materials in laboratory
- 6. Quality control during shoes manufacturing
- 7. Quality control of finished shoes
- 8. Quality control packaging & labels
- 9. Quality control finished shipment
- 10. Quality control necessary documents
- 11. Receipt and inspection of documents and gloves at headquarters
- 12. Written evaluation finished order

See ISO 9001 certificate

Also ISO 14001 and ISO 45001 available