



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° **0075/1744/162/12/22/2247**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : **RICHA NV**
Westerring 27, 9700 Oudenaarde
Belgium

Description

PPE Type : **Protective motorcycle's glove**
Product reference : **Diana Gore-tex glove**
Article code : **Black – 5DIG100 / Pink – 5DIG700**
Glove description : **Softshell glove with leather palm and knuckle protection, designed for women**
Available sizes : **XS, (6) S (7), M (8), L (9), XL (10), 2XL (11), 3XL (12)**

Pictures :



Reference standard :

Levels of performance

EN ISO 21420 : 2020

-

EN 13594:2015

Level 1 with Knuckle Protection

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the user instruction v01/2022 and in the manufacturer's technical file index 01 dated from DECEMBER 2022

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISSADO
Certification Manager

Date of first issue : 27 December 2022
End of validity date : 27 December 2027



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

RICHA NV

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	Diana Gore-tex glove
Article code	:	Black – 5DIG100 / Pink – 5DIG700
Technical file index	:	01
Last update	:	DECEMBER 2022

IDENTIFICATION

Reference of the product :	:	Diana Gore-tex glove
Article code :	:	Black – 5DIG100 / Pink – 5DIG700
Basic Model		
Technical file index :	:	01
Last update :	:	DECEMBER 2022

Manufacturer :

RICHA NV

Westerring 27, 9700 Oudenaarde

Belgium

tel : 0032 55 235326

fax : 0032 55 428110

Factory :

PT. YOUNG JIN SPORT INDONESIA

BAKALAN RT. 02/02, KEL. CEPER KEC. CEPER, KLATEN JAWA TENGAH 57465

INDONESIA

tel: +82 2 3474 0106

fax: +82 2 3474 0176

GLOVE DESCRIPTION

General glove description :

Softshell glove with leather palm and knuckle protection, designed for women

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.1	PPE incorporating adjustments systems	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
Specific application	Motorcycle glove	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking


Glove constitution :

	Reference	Color	Material (composition)	Surfacic mass (g/m ²)	Gauges	Thickness
Palm	YJ-MT#2 (GOAT D/D)	Black	100% leather			0.65 - 0.75 MM
	YJ-MT#91 (AX SUEDE DYNO WAVY EMOSS)	Black	92% polyester, 8% Polyurethane			0,85 mm
	YJ-MT#39 (AX CONNECT VN (CONDUCTIVE PU))	Black	65% Polyester, 35% PU	180 g/yd		
Back	YJ-MT#2 (GOAT D/D)	Black	100% leather			0.65 - 0.75 MM
	YJ-MT#8 (JW5-11H (3 LAYERS) SOFTSHELL)	Black	100% polyester	240 g/yd		
	YJ-MT#31 (PU FABRIC BLACK)	Black	64% PE, 36% PU	220 g/yd		
	YJ-MT#97 (PU FABRIC PINK)	Pink	64% PE, 36% PU	220 g/yd		
Fourchette	YJ-MT#8 (JW5-11H (3 LAYERS) SOFTSHELL)	Black	100% polyester	240 g/yd		
	YJ-MT#27 (COW NAPPA (DULL))	Black	100% leather			0.75 - 0.85 MM
Cuff	YJ-MT#23 (MICRO FIBER)	Black	50% polyester, 50% PU	350 g/yd		
	YJ-MT#75 (METAL SNAP BUTTON GLOVES)	Metallic	Metal			
Lining	YJ-MT#6 (TRI-FLEECE)	Black	100% polyester	44" yd		
	GEN-MT#157 (PRIMALOFT)	White	100% polyester			
	YJ-MT#34 (GLASS)	White	100% polyester	40 g/m ²		
Internal lining (membrane)	YJ-MT#40 (GORE-TEX NGFG INSERT)	White	100% ePTFE	35 g/m ²		
Metacarpal protection	YJ-MT#30 (PVC HARD PROTECTOR)	Black	100% PVC			
	YJ-MT#133 (NB TRI-FLEECE BONDED)	Black	100% polyester	260 g/m ²		
	5/5MM TEMPER FOAM GREY	Grey	100% PU			
Binding	YJ-MT#20 - ROLL PU (3200302) (DONGGWANG)	Black	54% Nylon, 46% Polyurethane	54" 350g/yd		
	YJ-MT#92 (HYPALON)	Black	68% rubber, 32% polyester			

Pictures of material + seams



1/ Flat-seam folded, single stitching	2/ Inside seam, single stitching
3/ Flat-seam unfolded, double stitching	4/ Inside seam, single stitching
5/ Flat-seam unfolded, double stitching	6/ Inside seam, single stitching
7/ Flat-seam folded, double stitching	8/ Inside seam, single stitching
9/ Inside seam, single stitching	10/ Inside seam, single stitching
11/ Flat-seam unfolded, double stitching	12/ Inside seam, single stitching
13/ Flat-seam unfolded, double stitching	14/ Flat-seam unfolded, single stitching - zigzag
15/ Flat-seam unfolded, double stitching	16/ Flat-seam folded, single stitching



SEAM LIST DIANA GORE-TEX GLOVE				
NUMBER	SIDE 1	SIDE 2	TYPE	TEST REPORT NUMBER
1	YJ-MT#8 (JWS-11H (3 LAYERS) SOFTSHELL)	YJ-MT#31 (PU FABRIC BLACK) + YJ-MT#8 (JWS-11H (3 LAYERS) SOFTSHELL)	Flat seam folded, single stitching	SPC0316893 2129 4 (19451/2)
2	YJ-MT#8 (JWS-11H (3 LAYERS) SOFTSHELL)	YJ-MT#8 (JWS-11H (3 LAYERS) SOFTSHELL)	Inside seam, single stitching	SPC0316893 2129 4 (19451/2)
3	YJ-MT#2 (GOAT D/D)	YJ-MT#8 (JWS-11H (3 LAYERS) SOFTSHELL)	Flat seam unfolded, double stitching	SPC0316893 2129 4 (19451/2)
4	YJ-MT#8 (JWS-11H (3 LAYERS) SOFTSHELL)	YJ-MT#31 (PU FABRIC BLACK) + YJ-MT#2 (GOAT D/D)	Flat seam folded, single stitching	SPC0316893 2129 4 (19451/2)
5	not structural			
6	YJ-MT#8 (JWS-11H (3 LAYERS) SOFTSHELL)	YJ-MT#2 (GOAT D/D)	Inside seam, single stitching	SPC0316893 2129 4 (19451/2)
7	not structural			
8	YJ-MT#39 (AX CONNECT VN (CONDUCTIVE PU))	YJ-MT#8 (JWS-11H (3 LAYERS) SOFTSHELL)	Inside seam, single stitching	SPC0316893 2129 4 (19451/2)
9	YJ-MT#39 (AX CONNECT VN (CONDUCTIVE PU))	YJ-MT#2 (GOAT D/D)	Inside seam, single stitching	SPC0316893 2129 4 (19451/2)
10	YJ-MT#2 (GOAT D/D)	YJ-MT#2 (GOAT D/D)	Inside seam, single stitching	SPC0316893 2129 4 (19451/2)
11	not structural			
12	YJ-MT#8 (JWS-11H (3 LAYERS) SOFTSHELL)	YJ-MT#2 (GOAT D/D)	Inside seam, single stitching	SPC0316893 2129 4 (19451/2)
13	YJ-MT#2 (GOAT D/D)	YJ-MT#2 (GOAT D/D)	Flat seam unfolded, double stitching	SPC0316893 2129 4 (19451/2)
14	YJ-MT#2 (GOAT D/D)	YJ-MT#2 (GOAT D/D)	Flat seam unfolded, single stitching zig zag	SPC0316893 2129 4 (19451/2)
15	not structural			
16	not structural			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed for motorcycle

It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Available Size Range: XS, (6) S (7), M (8), L (9), XL (10), 2XL (11), 3XL (12)

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Motorcycle gloves EN 13594 : 2015

Protection offered	Performance levels
Level	Level 1
Knuckle Protection	YES

TEST REPORTS

	CTC	Other
EN ISO 21420 + innocuousness	L210100616_1; L211222339_1; L220509010_1; L220407869_1; L220303757_1; L211222574_1; L221019192_1; L221018366_1	SATRA CHM0327891/2210/JH/A IDIADA MT21020107 IDIADA MT20010089 IDIADA MT21010094 IDIADA MT20010145 IDIADA MT22050055 IDIADA MT21030009
EN 13594	L220407865_1 L210100610_1	GORE LABGLV-20220167 SATRA SPC0316893 2129 4 (19451/2)

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : Diana Gore-tex glove

Article Code : Black – 5DIG100 / Pink – 5DIG700

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

Marking example :



Marking of packaging example :



Method of marking on the glove :

Labels stitched inside the cuff

Packaging :

Plastic bag with product label

PPE subject to ageing :

Peremption period : 5 years after first use after the first use when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

MEANS OF CONTROL

1. Research and development
2. Sourcing
3. Purchasing
4. Documentation and traceability
5. Receipt of raw materials / Control of supplies
 - Testing of raw materials in laboratory: pH & Azoïcs test with every new shipment
 - Measuring of material weight before accepting shipment to make sure the identical g/m² is purchased as before
 - Testing on tear and impact abrasion for all the new materials
6. Quality control during glove manufacturing
7. Quality control of finished gloves
 - Control of the the glove finish, if there are deformations in the glove, loose threads, ergonomics, scraping of the material on the skin of 10 pairs randomly selected.
 - Aging in climatic chambers of 10 pairs randomly selected
8. Quality control packaging & labels
9. Quality control finished shipment
10. Quality control necessary documents
11. Receipt and inspection of documents and gloves at headquarters
12. Written evaluation finished order