EU-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

0075/1744/162/01/22/0091 - EXT 01/01/22 **Certificate N°**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer :	RICHA Westerring 27, 9700 O	udenaarde		
	BELGIUM			
Description				
PPE Type :	Protective garments f	or motorcycle ride	ers: class of protect	ion A
Product reference :	Camargue Evo Trouse	rs Women		
Article code :	Women black – 7CED Women Long black – 7 Women Short black –	7CEDL100		
Available sizes :	S to 6 XL			
Pictures :	FEL SAFE FEEL COM	Machine wash cold Do not bleach Do not tumble dry Do not iron Do not dry clean REMOVE THE PROTECTORS BEFORE	MODEL CAMARGUE EVO TROUSERS WOMEN SHORT BLACK ARTINR 7CED5100 ORDER NR SIZE 01-PS-36-21 DL	N RICHA NV INSPEK
\mathbb{R}			MODEL CAMARGUE EVO TROUSERS WOMEN BLACK ARTNR 7CED100 ORDER NR SIZE 01-95-36-21 DL MODEL CAMARGUE EVO TROUSERS WOMEN	INSPEK
	RIGHAN/ BIGHAN/ WSTSERN627 SYDD ULDEKAARDE BEGUIM WWW.ridhaeu WWW.ridhaeu SOŚ padyester 20% nylon LINING: 20% nylon REMOVABLE LINING: 100% polyester	DL 82-86 (162-	LONG BLACK ARTNR 7CEDLIOO ORDER NR SIZE 01-PS-36-21 DL 168)	INSPEK
Reference	standard :	Levels of perform	ance / class of protect	ion
EN ISO 13688:2013 EN 17092-4:2020		CLASS	- A GARMENT	
	-			
Full description of the PPE, reference	roduct is in compliance with Annex XVII of ce rules verified in the context of the EU-t 01 dated from January 2022 and the user	ype examination and information		ed in the
manufacturer technical file which served	f the personal protective equipment object of the for the deliverance of the EU type approval cert Annex V §7.2 of Regulation 2016/425. Any mark	rtificate (change of address, change	of company status) should be brought	to the attention
Issued in Lyon by	UNG DEP	Date of first issue : 2	•	
Didier GUISADO Certification and Quality		End of validity date : 2	7 January 2027	
	The Examination Certific		www.ctcgroupe.	com
In application of the Regulation 2016, and the Council of 9th March 2016 Equipment and repealing the Directive	/425 of the European parliament related to Personal Protective		cemarking@ctcgroup	





MARKING

IOTIFIED BODY n° 0075

by CTC



www.cofrac.fr

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

RICHA

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	Camargue Evo Trousers Women
Article code	:	Women black – 7CED100 Women Long black – 7CEDL100 Women Short black – 7CEDS100
Technical file index	:	01
Last update	:	January 2022

IDENTIFICATION			
Reference of the product	:	Camargue Evo Trousers Women	
		Women black – 7CED100	
Article code	:	Women Long black – 7CEDL100	
		Women Short black – 7CEDS100	
This product is a minor variant of Ca	amargue Evo Trousers	7CE.	
Technical file index :	:	01	
Last update :	:	January 2022	

Manufacturer:

RICHA Westerring 27, 9700 Oudenaarde BELGIUM tel : 0032 55 235326 fax : 0032 55 428110

Factories:

PAK WORLD INDUSTRY Dheera Sandha, 5km-Main Pasroor Road, Link Cshauni, Sialkot PAKISTAN tel: fax:

GARMENT DESCRIPTION

General description and intended use:

This product is a trousers and it is a minor variant of the model Camargue Evo Trousers 7CE.

This garment is a caterogy II PPE.

This garment is designed for motorcycle riders. It offers a minimum necessary degree of protection from impact and abrasion, using materials and construction that meet lower requirements than for parts 2 and 3 of the EN 17092 series. Class A garments are expected to have the least ergonomic and weight penalties.

Visual description of the garment :





		Applicable	Covered by
			✓ Standard
§1	Requirements defined in the Annex II §1 are applicable to all PPE	\checkmark	Instruction for use
			✓ Marking
			✓ Standard
§1.4	Manufacturer's instructions and information is available	\checkmark	✓ Instruction for use
			Marking
			✓ Standard
§2.1	PPE incorporating adjustements systems	\checkmark	✓ Instruction for use
			✓ Marking
	PPE is designed and manufactured in a way that perspiration resulting from use is		✓ Standard
§2.2	minimised. Otherwise it must be equipped with means of absorbing perspiration.		✓ Instruction for use
			Marking
	If it is known that the design performance of new PPE may be significantly affected by		Standard
§2.4	obsolescence must be indelibly and unambiguously marked on each item of PPE placed		✓ Instruction for use
52.1			
	on the market and on its packaging.		✓ Marking
	Where appreciable and rapid deterioration in PPE performance is likely to be caused by ageing resulting from the periodic use of a cleaning process recommended by the		Standard
§2.4	manufacturer, the latter must, if possible, affix a marking to each item of PPE placed on the market indicating the maximum number of cleaning operations that may be carried out before the equipment needs to be inspected or discarded. Where such a marking is	~	✓ Instruction for use
	not affixed, the manufacturer must give that information in his instructions		✓ Marking
		V	Standard
§2.5	PPE which may be caught up during use		✓ Instruction for use
			Marking
			Standard
§2.9	PPE incorporating components which can be adjusted or removed by the user	\checkmark	✓ Instruction for use
			Marking
		1	✓ Standard
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly	\checkmark	✓ Instruction for use
	relating to health and safety		✓ Marking
			✓ Standard
§2.14	Multi-risk PPE	\checkmark	✓ Instruction for use
			✓ Marking
			✓ Standard
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and	\checkmark	✓ Instruction for use
	collisions of parts of the body with an obstacle		✓ Marking
			✓ Standard
§3.3	The PPE is intended to protect against mechanical injuries	\checkmark	✓ Instruction for use
			✓ Marking
			✓ Standard
Specific	Motorcycle garment	\checkmark	✓ Instruction for use
pplication			✓ Marking


Garment	constitution						
	Material reference	Material description	Color	Basis weight	Present in zone?		
				or thickness	Z1	Z2	Z3
	PW-MT#168 (CORDURA NYLON 500D BLACK (02-02-01- 020))	100% nylon	Black	212 g/m²	x	x	x
Outer material	PW-MT#23 (ANTI SLIP MATERIAL (REGMAR GRIPY FABRIC (0,8 - 0,9mm GAUGE) (02-02-15-038))		Black			x	
material	PW-MT#16 (POLYESTER CORDURA 600 D BLACK IMP (02-01-003))	100% polyester	Black	218 g/m²		x	x
	PW-MT#78 (NYLON RIPSTOP CORDURA BLACK (02-01-02- 002))	100% nylon	Black	399 g/m²	x	x	
	PW-MT#22 (MICRO MESH FABRIC (02-02-03-002))	100% polyester	Black	115 g/m²			
Lining	PW-MT#19 (NYLON TAFFETA 210-T PU BLACK))	100% nylon	Black	84 g/m²			
	PW-MT#80 (POLYESTER RASCHEL PD MESH (02-02-02- 001))	100% polyester	Black				
Removable lining	PW-MT#28 (QUILT 2" STRAIGHT LINE 190T + WADDING (02-02-16-008))	100% polyester outer	Grey				
Protector pocket	PW-MT#20 (POLYESTER FABRIC 210-T BLACK (02-04- 008))	100% polyester	Black	99 g/m²			
	GEN-MT#23 (BUTTON HOOK (PART A + PART B) (04-023))		Metallic				
Button	GEN-MT#24 (R RUBBER COATED BUTTON (04-01-052))		Black				
	GEN-MT#20 (BUTTON ACD BRASS (BACKSIDE OF BUTTON) (04-01-004))		Metallic				
Zip	GEN-MT#12 (YBS CONNECTION ZIP #8 (LOWER PART) (03-01- 01-049))		Black				
·	GEN-MT#45 (SBS NYLON ZIP #5 (03-01-02-002)		Black		_		

Material combinations

	Material reference	Combin	ation present i	in zone?
	Wateriariererence	Zone 1	Zone 2	Zone 3
	PW-MT#168 (CORDURA			
Material	NYLON 500D BLACK (02-02-01-			
combination	020))	х	х	х
1	PW-MT#22 (MICRO MESH			
	FABRIC (02-02-03-002))			
Material	PW-MT#16 (POLYESTER			
combination	CORDURA 600 D BLACK IMP	×	×	×
combination	PW-MT#22 (MICRO MESH	*	x	*
2	FABRIC (02-02-03-002))			
Material	PW-MT#78 (NYLON RIPSTOP			
combination	CORDURA BLACK (02-01-02-	X	v	×.
complication	PW-MT#22 (MICRO MESH	х	х	х
3	FABRIC (02-02-03-002))			

Description of the seams

		Reference	Seam type	Zone 1	Zone 2	Zone 3	Protector pocket
Coore 1	Material 1	PW-MT#168 (CORDURA NYLON 500D BLACK (02-02-01-020))	1				
Seam 1	Material 2	PW-MT#168 (CORDURA NYLON 500D BLACK (02-02-01-020))	1		x	x	
Seam 2	Material 1	PW-MT#168 (CORDURA NYLON 500D BLACK (02-02-01-020))	1		x	x	
Jean 2	Material 2	PW-MT#16 (POLYESTER CORDURA 600 D BLACK IMP (02-01-003))	T		^	^	
	Material 1	PW-MT#168 (CORDURA NYLON 500D BLACK (02-02-01-020))					
Seam 3	Material 2	PW-MT#78 (NYLON RIPSTOP CORDURA BLACK (02-01-02-002))	1	x	x	x	
Seam 4	Material 1	PW-MT#168 (CORDURA NYLON 500D BLACK (02-02-01-020))	1		x	x	
Jean 4	Material 2	PW-MT#168 (CORDURA NYLON 500D BLACK (02-02-01-020))	I		~		
Seam 5	Material 1	PW-MT#168 (CORDURA NYLON 500D BLACK (02-02-01-020))	1	x	x	x	
	Material 2	PW-MT#16 (POLYESTER CORDURA 600 D BLACK IMP (02-01-003))	-	'n			
Seam 6	Material 1	PW-MT#16 (POLYESTER CORDURA 600 D BLACK IMP (02-01-003))	1	x	x	x	
	Material 2	PW-MT#168 (CORDURA NYLON 500D BLACK (02-02-01-020))					
Seam 7	Material 1	PW-MT#168 (CORDURA NYLON 500D BLACK (02-02-01-020))	1	x	x	x	
	Material 2	PW-MT#78 (NYLON RIPSTOP CORDURA BLACK (02-01-02-002))	_	~	~		
Seam 8	Material 1	PW-MT#168 (CORDURA NYLON 500D BLACK (02-02-01-020))	1	x	x	x	
	Material 2	PW-MT#78 (NYLON RIPSTOP CORDURA BLACK (02-01-02-002))					
Seam 9	Material 1	POLYESTER FABRIC 210-T BLACK PW- MT#20	1				x
Jean J	Material 2	PW-MT#22 (MICRO MESH FABRIC	Ŧ				^



f the 10t, l

Nylon Cordura

BLACK VELCRO

1,2,3,4,5,6,

4

POLYESTER CORDURA 600D

1/4"

12,15,16,17,18,19,20,21,22,23

RIBSTOP FABRIC BLACK

11

UTU

5mm From Edge

design and development By

WWW MATCHING BARTER

6mm From Edge

www Thread Bartek

- 2mm From Edge

2cm From Edge

PROTECTION SCOPE

This garment meets the essential health and safety requirements of the Personal Protective Equipment Regulation (UE) 2016/425. It is a category II product.

This garment is designed for motorcycle riders. It offers a minimum necessary degree of protection from impact and abrasion, using materials and construction that meet lower requirements than for parts 2 and 3 of the EN 17092 series. Class A garments are expected to have the least ergonomic and weight penalties.

GENERAL REQUIREMENTS

Range of size								
Size	S	М	L	XL	2XL	3XL	4XL	5XL
Heigh (cm)	154 - 160	158 - 164	162 - 168	166 - 172	169 - 175	172 - 178	174 - 180	176 - 182
Waist girth (cm)	74 - 78	78 - 82	82 - 86	86 - 90	90 - 94	94 - 98	98 - 102	102 - 106

Size	6XL	
Heigh (cm)	178 - 184	
Waist girth (cm)	106 - 110	

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Standard EN 17092-4:2020

			Zone 1	Zone 2	Zone 3	
Dimensional stability of th (N/A if no cleaning require		% ±5				
Impact protector location	and fixation	the pockets a	ect location o and secured in	n their positio	n.	
External impact protector	location and fixation	•	meet the required to the required to the second sec			
Impact abrasion	Darmstadt / no hole on the 9 test pieces	rpm	265	147	n/a	
Seam strength	by zone	N/mm	≥6	≥6	≥4	
ocam strongth	protector pocket	N/mm		≥4		
	general	-	at leas	st one line pro	tected	
Seam construction	leather or textile abrasion overlays	-	at least 2 rows of stitching			
	hard shell overlays	-	at least 2 rows of stitching			
Tear strength	by zone	N	≥35	≥25	≥25	
	protector pocket	N	≥10			
	Two pieces suits		no gap and	no opening		
Restraint	sleeve		no extractior	n of the cone		
	Thumb loops distance A-B	mm		max 140		
Innocuousness	EN ISO 13688:2013 § 4.2 + REACh	pH, Cr VI (leather), Ni (metal in contact with skin), Azo dyes (if contact with skin), Tin, Cadmium (coated material), PAH (plastic in contact with skin) phtalates (polymers in contact with skin)				
Structural closure	same test as seams	N/mm ≥6 ≥6 ≥4				
Vents	protected by same SSL or by SSL zone 3 if opening limited to 4cm at 90° of the length					
Pockets		protected by same SSL extended along the interior of the pocket beyond the opening at least an additional 3 cm				
Fit and ergonomics	EN 17092-1, 5.5 : all answers positive					

TEST REPORTS

1 Satra 2777/13054-03/E00-00	8	L210305296_1	15	L210713479_1
2 Satra 2777/11251-01/E00-00	9	L210917986_1	16	L220100193_1
3 Satra 2777/10815-01/E00-00	10	MT18030201 IDIADA	17	
4 Satra 2777/10609-01/E00-00	11	4041207/E RICOTEST	18	
5 Satra 2777/10608-02/E00-00	12	MT21010124 IDIADA	19	
6 Satra 2777/10804-01/E00-00	13	MT17120100 IDIADA	20	
7 L210611850_1	14	L210611846_1	21	


]	Reports
4.1 - General		
4.1.1 Innocuousness and REACh - Annex XV	/1	10+11+12+13+14+15+16
4.1.3 Dimensional stability of garments	Washing Température : Number of washing cycles :	7
4.2 - Impact Energy Absorption		
4.2.1 General		1+2+3+4+5+6+7
4.2.2 Impact protector location and fixation	1	1+2+3+4+5+6+7
4.3 Impact abrasion resistance		7
4.4 - Structurally Strong Seams (SSS)		
4.4.1 - General		7
4.4.2 Seam strength		7+9
4.5 - Tear strength		
4.5 Tear strength		7+8
4.6- Restraint		
4.6.1 - General		n.a
4.6.2 Two-piece suit requirements for joint	between the upper and the lower part	7
4.6.3 Garment sleeve restraint		n.a
4.7- Additional garment construction	requirements	
4.7.2 - Structural closures		7
4.7.3 - Vents		7
4.7.4 - Pockets		7
4.7.5 - Zone intrusions		n.a
4.7.7 - Use of open mesh materials		n.a
4.7.8 - Use of retroreflective materials (optional)	Performance of the retroreflective materials shall be in conformity with Clause 6 of EN 1150:1999. This requirement does not apply to reflective elements included for reasons of design or decoration.	n.a
4.8 Fit and ergonomics		7

MARKING - PACKAGING

Marking of the garment:

Logo of Manufacturer Address of Manufacturer		
Logo	CE	
Product reference:	Camargue Evo Trousers Women	
	Women black – 7CED100	
Article Code:	Women Long black – 7CEDL100	
	Women Short black – 7CEDS100	
Size indicator		
Pictograms		
Indication of the protection Class A		
Date of Manufacture (month/year) and/or serial/batch number		
Date of obsolescence (month/year) if applicable		
Location of the marking:	Labels inside the garments	

Garment marking example:



Method of marking of the garment:

Labels

PPE subject to ageing :

Peremption period: 5 years when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the garment shall be visually controlled. In case of deterioration the garment must be scrapped (abrasion, cut, tear, ...).

Cleaning instructions:	
Number of cleaning cycles:	5
Care Instructions:	Machine wash at 20°C

MEANS OF CONTROL

1. Research and development

- 2. Sourcing
- 3. Purchasing
- 4. Documentation and traceability

5. Receipt of raw materials / Control of supplies

- Testing of raw materials in laboratory: pH & Azoïcs test with every new shipment

6. Quality control during glove manufacturing

- 7. Quality control of finished gloves
- 8. Quality control packaging & labels
- 9. Quality control finished shipment
- 10. Quality control necessary documents
- 11. Receipt and inspection of documents and gloves at headquarters

12. Written evaluation finished order

	MANAGEMENT SYSTEM
133	CERTIFICATE
PAK WORLD INDUSTRY DHEERA SANDHA, 5-KM MAIN PASRUR ROAD, LINK CSHAUNI SULEHRIAN ROAD, JIALKOT PAKISTAN	Cartificate No: Initial certification date: Valid: 202753-2016-AQ-BEL-RVA 22 August 2016 22 August 2019 - 21 August 2022
Bureau Verifies Certification Holding SAS –UK Branch certifies that the	This is to certify that the management system of
Management System of the above organization has been audited and found to be in accordance with the requirements of the management system alandards detailed below	Richa Westerring 27, 9700 Oudenaarde, Belgium
ISO 9001:2015	19
Manufacturing & Export of Yarn, Grey Fabric, Denim Fabric and Garments (Woven Bottom)	has been found to conform to the Quality Management System standard: ISO 9001:2015
Original cycle start date: 16 th April 2020	This certificate is valid for the following scope:
Expiry date of previous cycle: N/A	The design, distribution, customization and post-delivery activities of motorcycle clothing and accessories.
Certification /Recertification Audit date: 30 th March 2020	motorcycle couling and accessories.
Certification' Recettification cycle start date: 16 th April 2020 Subject to the continued satisfactory operation of the organization's Management System; This certificate explore on: 12 April 2022	
Certificate No. MER28.311AVQ Version: 91 Revision date: 19" April 2020	
-	
Signed on behalf of IIVCH SAS UK Branch Cent/Lation lody address: 3h Filos, 65 Presont Breet, Landon C 1 (910, Linded Krigden	Place and date: Barendrecht, 07 November 2019 Por the lossing office: DIV GL - Business Assurance DIV GL - Business Assurance
(Lenna: Ventas Polanter (Preste) LM. Offen Mr. 09, That Elser, Gorder Seguer Phare, Dan Area, Inscription Polanter	RUN CLAP Zwoiseweg 1, 2994 LB, Barendrecht, Netherlands
Further classifications regarding the accept of this calificate and the applicability of the management optimum regularizers may be obtained by closeding the approaches. To clinek this contributive valuatity planes call (VEVS) (34/273-76-784)	BIVERIARS/RE NUM SYS
***	RVA C [2] The link is a species to the IAT MLA Management Representative
	B125675758